

**Table F. Wildlife Disease Sampling Conducted by  
Wildlife Services in New Mexico - FY2014**

| <b>Disease/Condition</b>            | <b>Species Sampled</b>   | <b># of Samples</b> |
|-------------------------------------|--|---------------------|
| <b>Avian Paramyxovirus</b>          |  |                     |
|                                     | Pigeons, Feral (Rock)  | 7                   |
|                                     | <i>Subtotal of # of Samples for Avian Paramyxovirus</i>        | <b>7</b>            |
| <b>Classical Swine Fever</b>        |  |                     |
|                                     | Swine, Feral   | 55                  |
|                                     | <i>Subtotal of # of Samples for Classical Swine Fever</i>      | <b>55</b>           |
| <b>Disease (Non-Specific)</b>       |  |                     |
|                                     | Coyotes  | 4                   |
|                                     | Swine, Feral   | 53                  |
|                                     | <i>Subtotal of # of Samples for Disease (Non-Specific)</i>     | <b>57</b>           |
| <b>E.Coli</b>                       |  |                     |
|                                     | Swine, Feral   | 13                  |
|                                     | <i>Subtotal of # of Samples for E.Coli</i>                     | <b>13</b>           |
| <b>Genetic</b>                      |  |                     |
|                                     | Coyotes  | 5                   |
|                                     | Swine, Feral   | 5                   |
|                                     | <i>Subtotal of # of Samples for Genetic</i>                    | <b>10</b>           |
| <b>Giardiasis</b>                   |  |                     |
|                                     | Swine, Feral   | 16                  |
|                                     | <i>Subtotal of # of Samples for Giardiasis</i>                 | <b>16</b>           |
| <b>Leptospirosis</b>                |  |                     |
|                                     | Coyotes  | 11                  |
|                                     | Swine, Feral   | 19                  |
|                                     | <i>Subtotal of # of Samples for Leptospirosis</i>              | <b>30</b>           |
| <b>Plaque</b>                       |  |                     |
|                                     | Coyotes  | 451                 |
|                                     | Swine, Feral   | 12                  |
|                                     | <i>Subtotal of # of Samples for Plaque</i>                     | <b>463</b>          |
| <b>Porcine Reprod/Resp Syndrome</b> |  |                     |
|                                     | Swine, Feral   | 19                  |
|                                     | <i>Subtotal of # of Samples for Porcine Reprod/Resp Syndro</i> | <b>19</b>           |
| <b>Pseudorabies</b>                 |  |                     |

*Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.*

| <i>Disease/Condition</i> | <i>Species Sampled</i>                                    | <i># of Samples</i> |
|--------------------------|---|---------------------|
| <b>Pseudorabies</b>      |   |                     |
|                          | Coyotes   | 2                   |
|                          | Swine, Feral  | 54                  |
|                          | <i>Subtotal of # of Samples for Pseudorabies</i>          | <b>56</b>           |
| <b>Rabies</b>            |   |                     |
|                          | Coyotes   | 2                   |
|                          | Foxes, Gray   | 1                   |
|                          | <i>Subtotal of # of Samples for Rabies</i>                | <b>3</b>            |
| <b>Salmonella</b>        |   |                     |
|                          | Swine, Feral  | 7                   |
|                          | <i>Subtotal of # of Samples for Salmonella</i>            | <b>7</b>            |
| <b>Swine Brucellosis</b> |   |                     |
|                          | Swine, Feral  | 54                  |
|                          | <i>Subtotal of # of Samples for Swine Brucellosis</i>     | <b>54</b>           |
| <b>Swine Influenza</b>   |   |                     |
|                          | Swine, Feral  | 34                  |
|                          | <i>Subtotal of # of Samples for Swine Influenza</i>       | <b>34</b>           |
| <b>Toxoplasmosis</b>     |   |                     |
|                          | Swine, Feral  | 58                  |
|                          | <i>Subtotal of # of Samples for Toxoplasmosis</i>         | <b>58</b>           |
| <b>Tularemia</b>         |   |                     |
|                          | Coyotes   | 454                 |
|                          | Swine, Feral  | 20                  |
|                          | <i>Subtotal of # of Samples for Tularemia</i>             | <b>474</b>          |
|                          | <i>Grand Total of Samples For All Diseases/Conditions</i> | <b>1,356</b>        |
|                          | <i>Total # Diseases/Conditions Sampled In NM</i>          | <b>16</b>           |

*Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.*