

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
<hr/>		
Anthrax		
	Coyotes	8
	<i>Subtotal of # of Samples for Anthrax</i>	8
<hr/>		
Avian Bornavirus		
	Blackbirds, Red-Winged	16
	Doves, Mourning	48
	Geese, Canada	38
	Killdeers	25
	Squirrels, Ground (Other)	10
	<i>Subtotal of # of Samples for Avian Bornavirus</i>	137
<hr/>		
Avian Influenza		
	Blackbirds, Red-Winged	18
	Cormorants, Double-Crested	47
	Cowbirds, Brown-Headed	21
	Crows, American	2
	Doves, Mourning	11
	Ducks, Canvasback	2
	Ducks, Gadwall	12
	Ducks, Mallards	260
	Ducks, Northern Shoveler	8
	Ducks, Redhead	4
	Ducks, Teal, Blue-Winged	43
	Ducks, Teal, Cinnamon	8
	Ducks, Teal, Green-Winged	10
	Ducks, Wigeon, American	8
	Ducks, Wood	21
	Geese, Canada	490
	Grackles, Common	40
	Gulls, Black-Backed, Great	14
	Gulls, Herring	52
	Gulls, Laughing	94
	Gulls, Ring-Billed	43
	Hérons, Great Blue	1
	Killdeers	17
	Larks, Horned	4
	Meadowlarks, Eastern	2
	Pelicans, American White	54
	Pigeons, Feral (Rock)	225
	Sparrows, House/English	12

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 1 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Influenza		
	Starlings, European	194
	Swallows, Barn	2
	Swans, Mute	234
	Swine, Feral	9
	Vultures, Black	102
	Vultures, Turkey	2
	<i>Subtotal of # of Samples for Avian Influenza</i>	2,066
Avian Paramyxovirus		
	Cormorants, Double-Crested	210
	Cowbirds, Brown-Headed	30
	Cranes, Sandhill	1
	Doves, Collared, Eurasian	24
	Doves, Mourning	48
	Ducks, Mallards	174
	Ducks, Northern Shoveler	2
	Ducks, Scaup, Greater	10
	Ducks, Scaup, Lesser	4
	Ducks, Teal, Blue-Winged	41
	Ducks, Teal, Green-Winged	25
	Ducks, Wigeon, American	6
	Falcons, American Kestrels	12
	Geese, Cackling	9
	Geese, Canada	145
	Grackles, Common	12
	Gulls, Glaucous-Winged	13
	Gulls, Herring	16
	Gulls, Laughing	70
	Gulls, Ring-Billed	15
	Hawks, Red-Tailed	10
	Hawks, Rough-Legged	4
	Hérons, Great Blue	3
	Killdeers	4
	Pigeons, Feral (Rock)	218
	Starlings, European	58
	Swans, Mute	189
	Vultures, Turkey	2
	<i>Subtotal of # of Samples for Avian Paramyxovirus</i>	1,355
Avian Tuberculosis		

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 2 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Tuberculosis		
	Ducks, Redhead	8
	<i>Subtotal of # of Samples for Avian Tuberculosis</i>	8
Bluetongue		
	Deer, White-Tailed (Wild)	54
	<i>Subtotal of # of Samples for Bluetongue</i>	54
Bornavirus		
	Gulls, Herring	2
	Gulls, Laughing	3
	Gulls, Ring-Billed	6
	<i>Subtotal of # of Samples for Bornavirus</i>	11
Botulism		
	Geese, Canada	1
	<i>Subtotal of # of Samples for Botulism</i>	1
Bovine Brucellosis		
	Swine, Feral	4
	<i>Subtotal of # of Samples for Bovine Brucellosis</i>	4
Bovine Tuberculosis		
	Cats, Feral/Free Ranging	4
	Coyotes	4
	Rabbits, Desert Cottontail	3
	Skunks, Striped	2
	Squirrels, Ground, California	1
	Swine, Feral	3
	<i>Subtotal of # of Samples for Bovine Tuberculosis</i>	17
Canine Distemper		
	Coyotes	2
	Raccoons	26
	Wolves, Gray/Timber	14
	<i>Subtotal of # of Samples for Canine Distemper</i>	42
Canine Heartworm		
	Coyotes	103

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Canine Heartworm		
	<i>Subtotal of # of Samples for Canine Heartworm</i>	103
Canine Parvovirus		
	Coyotes	25
	Foxes, Red	11
	Raccoons	4
	<i>Subtotal of # of Samples for Canine Parvovirus</i>	40
Chronic Wasting Disease		
	Deer, Red	1
	Deer, White-Tailed (Captive)	13
	Deer, White-Tailed (Wild)	698
	Moose	2
	<i>Subtotal of # of Samples for Chronic Wasting Disease</i>	714
Classical Swine Fever		
	Swine, Feral	1,950
	<i>Subtotal of # of Samples for Classical Swine Fever</i>	1,950
Disease (Non-Specific)		
	Bears, Black	29
	Blackbirds, Red-Winged	5
	Cowbirds, Brown-Headed	4
	Coyotes	275
	Deer, Mule	236
	Deer, White-Tailed (Wild)	28
	Doves, Mourning	5
	Foxes, Gray	31
	Foxes, Red	1
	Grackles, Common	4
	Gulls, Black-Backed, Great	3
	Gulls, Herring	8
	Gulls, Laughing	14
	Lions, Mountain (Cougar)	14
	Pigeons, Feral (Rock)	58
	Rabbits, Cottontail	20
	Skunks, Striped	1
	Squirrels, Ground (Other)	8
	Swans, Mute	12

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Disease (Non-Specific)		
	Swine, Feral	675
	<i>Subtotal of # of Samples for Disease (Non-Specific)</i>	1,431
Disease (Other)		
	Ducks, Mallards	1
	Swine, Feral	17
	<i>Subtotal of # of Samples for Disease (Other)</i>	18
E.Coli		
	Swine, Feral	20
	<i>Subtotal of # of Samples for E.Coli</i>	20
Echinococcosis		
	Coyotes	63
	Wolves, Gray/Timber	3
	<i>Subtotal of # of Samples for Echinococcosis</i>	66
Epizootic Hemorrhagic Disease		
	Deer, White-Tailed (Wild)	272
	<i>Subtotal of # of Samples for Epizootic Hemorrhagic Disease</i>	272
Equine Encephalitis (Eastern)		
	Ducks, Mallards	16
	Geese, Canada	34
	Gulls, Laughing	70
	Hérons, Great Blue	1
	Swans, Mute	26
	<i>Subtotal of # of Samples for Equine Encephalitis (Eastern)</i>	147
Erlchiosis		
	Hérons, Great Blue	2
	<i>Subtotal of # of Samples for Erlchiosis</i>	2
Exotic Newcastle Disease		
	Blackbirds, Red-Winged	6
	Cormorants, Double-Crested	1,067
	Cowbirds, Brown-Headed	21
	Crows, American	2

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Exotic Newcastle Disease		
	Doves, Mourning	48
	Ducks, Mallards	54
	Ducks, Redhead	4
	Ducks, Wood	7
	Egrets, Great	4
	Geese, Canada	205
	Gulls, Black-Backed, Great	8
	Gulls, Herring	22
	Gulls, Laughing	14
	Gulls, Ring-Billed	25
	Hawks, Red-Tailed	2
	Hawks, Rough-Legged	6
	Ibises, White	4
	Owls, Great Horned	10
	Pelicans, American White	18
	Pigeons, Feral (Rock)	106
	Starlings, European	6
	<i>Subtotal of # of Samples for Exotic Newcastle Disease</i>	1,639
Foot And Mouth Disease		
	Swine, Feral	8
	<i>Subtotal of # of Samples for Foot And Mouth Disease</i>	8
Genetic		
	Beavers	15
	Bobcats	2
	Coyotes	85
	Swine, Feral	33
	<i>Subtotal of # of Samples for Genetic</i>	135
Giardiasis		
	Swine, Feral	334
	<i>Subtotal of # of Samples for Giardiasis</i>	334
Keds		
	Deer, Mule	2
	<i>Subtotal of # of Samples for Keds</i>	2
Leptospirosis		

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 6 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Leptospirosis		
	Badgers	2
	Bobcats	1
	Coyotes	311
	Deer, White-Tailed (Wild)	1
	Foxes, Gray	10
	Foxes, Red	18
	Marmots/Woodchucks (All)	1
	Muskrats	4
	Opossums, Virginia	1
	Rabbits, Cottontail	5
	Raccoons	509
	Skunks, Striped	5
	Squirrels, Fox	30
	Swine, Feral	163
	Wolves, Gray/Timber	39
	<i>Subtotal of # of Samples for Leptospirosis</i>	1,100
Lice:All		
	Deer, Mule	2
	<i>Subtotal of # of Samples for Lice:All</i>	2
Lyme Disease		
	Deer, White-Tailed (Wild)	7
	<i>Subtotal of # of Samples for Lyme Disease</i>	7
Neosporosis		
	Badgers	4
	Bobcats	2
	Coyotes	2
	Foxes, Gray	2
	Foxes, Red	2
	Marmots/Woodchucks (All)	6
	Opossums, Virginia	2
	Rabbits, Cottontail	4
	Raccoons	44
	Skunks, Striped	14
	<i>Subtotal of # of Samples for Neosporosis</i>	82
Plaque		

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 7 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Plaque		
	Badgers	8
	Bears, Black	36
	Beavers	9
	Bobcats	21
	Cats, Feral/Free Ranging	5
	Coyotes	2,285
	Dogs, Feral, Free-Ranging And H	19
	Foxes, Gray	170
	Foxes, Red	12
	Lions, Mountain (Cougar)	30
	Muskrats	3
	Peccaries, Collared (Javelina)	3
	Prairie Dogs, Black-Tailed	2
	Rabbits, Desert Cottontail	88
	Raccoons	115
	Rats, Norway	1
	Skunks, Hooded	16
	Skunks, Spotted	1
	Skunks, Striped	87
	Squirrels, Rock	14
	Swine, Feral	21
	Wolves, Gray/Timber	22
	<i>Subtotal of # of Samples for Plaque</i>	2,968
Porcine Epidemic Diarrhea		
	Swine, Feral	6
	<i>Subtotal of # of Samples for Porcine Epidemic Diarrhea</i>	6
Porcine Reprod/Resp Svndrome		
	Swine, Feral	701
	<i>Subtotal of # of Samples for Porcine Reprod/Resp Syndrome</i>	701
Pseudorabies		
	Coyotes	2
	Swine, Feral	1,998
	<i>Subtotal of # of Samples for Pseudorabies</i>	2,000
Rabies		
	Badgers	2

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 8 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Rabies		
	Bats (All)	216
	Bears, Black	1
	Beavers	1
	Bobcats	24
	Cats, Feral/Free Ranging	76
	Coyotes	466
	Deer, White-Tailed (Wild)	3
	Dogs, Feral, Free-Ranging And H	2
	Fishers	17
	Foxes, Gray	314
	Foxes, Red	93
	Lions, Mountain (Cougar)	6
	Marmots/Woodchucks (All)	41
	Minks	4
	Muskrats	2
	Muskrats, (Other)	1
	Opossums, Virginia	30
	Otters, River	5
	Porcupines	2
	Raccoons	17,572
	Skunks, Hog-Nosed	3
	Skunks, Hooded	50
	Skunks, Spotted	5
	Skunks, Striped	1,608
	Squirrels, Eastern Gray	3
	<i>Subtotal of # of Samples for Rabies</i>	20,547
Raccoon Roundworm		
	Raccoons	1,913
	<i>Subtotal of # of Samples for Raccoon Roundworm</i>	1,913
Roundworms:Other		
	Coyotes	80
	<i>Subtotal of # of Samples for Roundworms:Other</i>	80
Salmonella		
	Cowbirds, Brown-Headed	3
	Doves, Mourning	31
	Pigeons, Feral (Rock)	46
	Sparrows, House/English	16

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 9 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Salmonella		
	Starlings, European	27
	Swine, Feral	325
	<i>Subtotal of # of Samples for Salmonella</i>	448
Swine Brucellosis		
	Swine, Feral	1,955
	<i>Subtotal of # of Samples for Swine Brucellosis</i>	1,955
Swine Influenza		
	Swine, Feral	1,782
	<i>Subtotal of # of Samples for Swine Influenza</i>	1,782
Swine Vesicular Disease		
	Swine, Feral	8
	<i>Subtotal of # of Samples for Swine Vesicular Disease</i>	8
Ticks:All		
	Deer, Mule	2
	Deer, White-Tailed (Wild)	29
	<i>Subtotal of # of Samples for Ticks:All</i>	31
Toxoplasmosis		
	Bison (Buffalo)	16
	Bobcats	35
	Cats, Feral/Free Ranging	7
	Coyotes	3
	Deer, Mule	2
	Foxes, Red	9
	Swine, Feral	1,156
	<i>Subtotal of # of Samples for Toxoplasmosis</i>	1,228
Tularemia		
	Badgers	6
	Bears, Black	8
	Beavers	207
	Bobcats	9
	Cats, Feral/Free Ranging	9
	Coyotes	1,911
	Deer, White-Tailed (Wild)	4

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 10 of 12 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Dogs, Feral, Free-Ranging And H	19
	Foxes, Gray	26
	Foxes, Red	39
	Hares, Snowshoe	2
	Hawks, Rough-Legged	1
	Lions, Mountain (Cougar)	24
	Marmots/Woodchucks (All)	32
	Muskrats	42
	Nutrias	11
	Opossums, Virginia	4
	Otters, River	4
	Peccaries, Collared (Javelina)	3
	Rabbits, Cottontail	95
	Rabbits, Desert Cottontail	88
	Raccoons	177
	Rats, Norway	1
	Skunks, Hooded	16
	Skunks, Spotted	1
	Skunks, Striped	37
	Squirrels, Eastern Gray	3
	Squirrels, Rock	14
	Swine, Feral	146
	Wolves, Gray/Timber	65
	<i>Subtotal of # of Samples for Tularemia</i>	3,004
Wellfeet Bay Virus		
	Ducks, Eider, Common	299
	Gulls, Herring	12
	<i>Subtotal of # of Samples for Wellfeet Bay Virus</i>	311
West Nile Virus		
	Blackbirds, Red-Winged	1
	Cormorants, Double-Crested	101
	Deer, White-Tailed (Wild)	121
	Doves, Mourning	2
	Ducks, Mallards	62
	Foxes, Red	6
	Killdeers	2
	Pigeons, Feral (Rock)	68
	Raccoons	8

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 11 of 12 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2014**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
West Nile Virus		
	Sparrows, House/English	1
	Starlings, European	42
	Swans, Mute	64
	Turtles, Common Map	1
	Turtles, Common Snapping	50
	Turtles, Painted	57
	Turtles, Red-Eared Slider	48
	<i>Subtotal of # of Samples for West Nile Virus</i>	634
	<i>Grand Total of Samples For All Diseases/Conditions</i>	49,391
	<i>Total # Diseases/Conditions Sampled For</i>	46

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 12 of 12 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.