

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Car/Truck</b>	<b>Intentional</b>	<b>Eagles, Bald</b>				1
<b>Catch Pole</b>	<b>Intentional</b>	<b>Raccoons</b>	2			
<b>Drc-1339-Staging Areas</b>	<b>Intentional</b>	<b>Blackbirds, Red-Winged</b>	200,783			
		<b>Cowbirds, Brown-Headed</b>	403,506			
		<b>Grackles, Common</b>	44,410			
<b>Firearms</b>	<b>Intentional</b>	<b>Aningas</b>	4			14
		<b>Armadillos, Nine-Banded</b>	53			19
		<b>Beavers</b>	9			
		<b>Blackbirds, Red-Winged</b>	1			250
		<b>Blackbirds, Rusty</b>				47
		<b>Cormorants, Double-Crested</b>	3			34
		<b>Cowbirds, Brown-Headed</b>	115			590
		<b>Coyotes</b>	13			4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Crows, American	7			408
		Deer, White-Tailed (Wild)	2			22
		Doves, Mourning	835			8,213
		Dowitchers, Short-Billed	3			6
		Ducks, Mallards	1			1
		Ducks, Teal, Blue-Winged	5			36
		Ducks, Whistling, Black-Bellied	2			
		Ducks, Wood	6			41
		Egrets, Cattle	302			8,731
		Egrets, Great	22			220
		Egrets, Snowy	24			602
		Falcons, American Kestrels	2			13
		Flickers, Northern	2			15
		Flycatchers, Scissor-Tailed	45			205
		Godwits, Hudsonian	20			150
		Grackles, Common	1			2
		Gulls, Laughing				15
		Hawks, Harrier, Northern (Marsh Hawks)				13

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Hawks, Red-Shouldered	2			26
		Hawks, Red-Tailed	3			10
		Hérons, Great Blue	6			35
		Hérons, Green	1			1
		Hérons, Little Blue	4			58
		Hérons, Night, Black-Crowned	1			3
		Hérons, Night, Yellow-Crowned	9			42
		Hérons, Tricolored				3
		Ibises, Glossy				13
		Ibises, White	82			3,429
		Ibises, White-Faced	3			300
		Killdeers	97			1,242
		Kingbirds, Eastern	2			30
		Kingfishers, Belted				2
		Kites, Mississippi	40			263
		Larks, Horned	3			
		Meadowlarks, Eastern	103			1,993
		Mockingbirds, Northern	1			4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Moorhens, Common</b>				3
		<b>Nutrias</b>	34			3
		<b>Opossums, Virginia</b>	9			5
		<b>Owls, Barred</b>	1			
		<b>Pigeons, Feral (Rock)</b>	244			22
		<b>Pipits, American</b>	20			145
		<b>Plovers, Golden, American</b>	16			115
		<b>Rabbits, Cottontail</b>	7			32
		<b>Rabbits, Swamp</b>	3			1
		<b>Raccoons</b>	20			7
		<b>Robins, American</b>	44			770
		<b>Sandpipers, Upland</b>	364			1,488
		<b>Spoonbills, Roseate</b>	1			7
		<b>Starlings, European</b>	90			1,001
		<b>Swallows, Barn</b>	11			723
		<b>Swallows, Cliff</b>	5			381
		<b>Swine, Feral</b>	50			38
<b>Terns, Sandwich</b>				1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Vultures, Black	37			282
		Vultures, Turkey	33			234
		Yellowlegs, Greater	8			157
		Yellowlegs, Lesser	21			124
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Killdeers			3	
<b>Helicopter</b>						
	<b>Intentional</b>					
		Coyotes	19			
		Swine, Feral	1,382			
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	2,038			
		Starlings, European	1			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Crows, American				9
		Doves, Mourning				450

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Dowitchers, Long-Billed				30
		Ducks, Teal, Blue-Winged				6
		Eagles, Bald				4
		Egrets, Cattle				126
		Godwits, Hudsonian				150
		Hawks, Red-Tailed				2
		Herons, Night, Yellow-Crowned				1
		Ibises, White				150
		Meadowlarks, Eastern				509
		Pipits, American				350
		Starlings, European				25
		Vultures, Black				96
		Vultures, Turkey				35
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	112			
		Coyotes	44			
		Otters, River	2			
		Raccoons	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Alligators, American			1	
		Nutrias	1			
		Opossums, Virginia	1			
		Otters, River	1			
		Raccoons	2			
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	527			
		Nutrias	37			
		Otters, River	4			
		Raccoons	8			
	<b>Unintentional</b>	Alligators, American	3		1	
		Cormorants, Double-Crested	1			
		Nutrias	11			
		Otters, River	10			
		Raccoons	6			
		Turtles (Other)			1	
		Turtles, Common Snapping	6		3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Armadillos, Nine-Banded	2				
		Cats, Feral/Free Ranging	1				
		Nutrias	10				
		Opossums, Virginia	6				
		Raccoons	56				
		<b>Unintentional</b>					
		Opossums, Virginia			5		
<b>Traps, Culvert</b>	<b>Intentional</b>	Bears, Louisiana Black			2		
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	84				
		Coyotes	42				
		Raccoons	1				
	<b>Unintentional</b>		Opossums, Virginia	4			
			Raccoons	3		2	
			Turtles (Other)			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	<b>Turtles, Common Snapping</b>			1	
<b>Traps, Live, Feral Hogs</b>	<b>Intentional</b>	<b>Swine, Feral</b>	242			
<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Coyotes</b>				1
<b>Zinc Phosphide Conc. (Rodents/Lago.)</b>	<b>Intentional</b>	<b>Nutrias</b>	11			
<i>Total Take for LA</i>			656,236		22	34,589

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*