

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Bombs/Bangers | | | | | | |
| | Intentional | | | | | |
| | | Cormorants, Double-Crested | | | | 80 |
| | | Crows, American | | | | 4,433 |
| | | Doves, Mourning | | | | 3 |
| | | Ducks, American Black | | | | 15 |
| | | Ducks, Mallards | | | | 30 |
| | | Geese, Canada | | | | 624 |
| | | Gulls, Black-Backed, Great | | | | 1 |
| | | Gulls, Herring | | | | 1,246 |
| | | Gulls, Ring-Billed | | | | 28 |
| | | Ospreys | | | | 1 |
| | | Owls, Snowy | | | | 7 |
| | | Robins, American | | | | 6 |
| | | Sparrows, House/English | | | | 255 |
| | | Starlings, European | | | | 251,085 |
| | | Swallows, Bank | | | | 305 |
| | | Turkeys, Wild | | | | 16 |
| | | Vultures, Turkey | | | | 123 |
| Cracker Shells (12 Gauge) | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---|------------------------------------|----------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Cracker Shells (12 Gauge) | Intentional | Vultures, Turkey | | | | 40 |
| Drc-1339 Eggs | Intentional | Crows, American | 101 | | | |
| Drc-1339-Staging Areas | Intentional | Starlings, European | 3,000 | | | |
| Electronic Harassment Devices (Other | Intentional | Coyotes | | | | 1 |
| Firearms | Intentional | Beavers | 2 | | | |
| | | Coyotes | 18 | | | 6 |
| | | Crows, American | 153 | | | 8,845 |
| | | Deer, White-Tailed (Wild) | 10 | | | |
| | | Doves, Mourning | 5 | | | 20 |
| | | Ducks, Mallards | 10 | | | 10 |
| | | Foxes, Gray | 2 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | | | | | |
| | | Foxes, Red | 3 | | | 2 |
| | | Geese, Canada | 181 | | | 303 |
| | | Grackles, Common | 5 | | | |
| | | Gulls, Black-Backed, Great | 75 | | | 361 |
| | | Gulls, Herring | 424 | | | 12,829 |
| | | Gulls, Ring-Billed | 1 | | | |
| | | Marmots/Woodchucks (All) | 13 | | | |
| | | Ospreys | 2 | | | |
| | | Pigeons, Feral (Rock) | 49 | | | |
| | | Skunks, Striped | 2 | | | |
| | | Sparrows, House/English | 63 | | | |
| | | Starlings, European | 800 | | | 17,697 |
| | | Swallows, Bank | 36 | | | |
| | | Swallows, Barn | 7 | | | 35 |
| | | Swallows, Tree | | | | 250 |
| | | Swans, Mute | | | | 5 |
| | Turkeys, Wild | 24 | | | 45 | |
| | Vultures, Black | | | | 22 | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Vultures, Turkey | 7 | | | 266 |
| Handcaught/Gathered | | | | | | |
| | Intentional | | | | | |
| | | Falcons, American Kestrels | | | 2 | |
| | | Finches, House | | | 1 | |
| | | Geese, Canada | 45 | | | |
| | | Grackles, Common | 11 | | | |
| | | Gulls, Herring | 4 | | | |
| | | Owls, Great Horned | | | 1 | |
| | | Skunks, Striped | | | 1 | |
| | | Warblers, Common, Yellowthroat | | | 1 | |
| Nets, Cannon/Rocket | | | | | | |
| | Intentional | | | | | |
| | | Gulls, Herring | 44 | | | 250 |
| | | Starlings, European | 214 | | | 1,000 |
| Nets, Gun | | | | | | |
| | Intentional | | | | | |
| | | Geese, Canada | 126 | | | 805 |
| Nets, Other | | | | | | |
| | Intentional | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|---|------------------------------------|---------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Nets, Other | | | | | | |
| | Intentional | | | | | |
| | | Geese, Canada | 2 | | | |
| Physical Actions (Hand/Voice) | | | | | | |
| | Intentional | | | | | |
| | | Foxes, Red | | | | 2 |
| | | Geese, Canada | | | | 351 |
| | | Grackles, Common | | | | 6 |
| | | Sparrows, House/English | | | | 70 |
| | | Starlings, European | | | | 130 |
| Remote Controlled Vehicles (All) | | | | | | |
| | Intentional | | | | | |
| | | Geese, Canada | | | | 50 |
| Spotlight | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | | | | 2 |
| Traps, Body Grip | | | | | | |
| | Intentional | | | | | |
| | | Beavers | 42 | | | |
| | Unintentional | | | | | |
| | | Ducks, Merganser, Hooded | 1 | | | |
| | | Muskrats | 1 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|---------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Body Grip | Unintentional | Turtles, Common Snapping | | | 2 | |
| | | | | | | |
| Traps, Cage | Intentional | Cats, Feral/Free Ranging | | | 6 | |
| | | Coyotes | | | 2 | |
| | | Crows, American | 25 | | | |
| | | Grackles, Common | 16 | | | |
| | | Gulls, Herring | 1 | | | |
| | | Mice, House | 23 | | | |
| | | Opossums, Virginia | | | | 49 |
| | | Rabbits, Cottontail | | | | 1 |
| | | Raccoons | 3 | | | 99 |
| | | Rats, Norway | 3 | | | |
| | | Skunks, Striped | 7 | | | 9 |
| | | Squirrels, Eastern Gray | | | | 2 |
| | | Starlings, European | 54 | | | |
| | | | Unintentional | Opossums, Virginia | | |
| Traps, Decoy | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Decoy | Intentional | Sparrows, House/English | 4 | | | |
| | | Starlings, European | 968 | | | |
| | Unintentional | Hawks, Cooper`s | | | 1 | |
| Traps, Raptor (Other) | Intentional | Hawks, Harrier, Northern (Marsh Hawks) | | | 2 | |
| | | Hawks, Red-Tailed | | | 1 | |
| | | Hawks, Sharp-Shinned | | | 1 | |
| | | Owls, Barred | | | 2 | |
| | | Owls, Snowy | | | 120 | |
| Traps, Snap (Rat, Mouse, Etc.) | Intentional | Mice, House | 3 | | | |
| | | Rats, Norway | 5 | | | |
| Vehicles (All) | Intentional | Buntings, Snow | | | | 20 |
| | | Cowbirds, Brown-Headed | | | | 16 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Vehicles (All) | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | | | | 5 |
| | | Crows, American | | | | 673 |
| | | Deer, White-Tailed (Wild) | | | | 9 |
| | | Doves, Mourning | | | | 220 |
| | | Ducks, American Black | | | | 10 |
| | | Ducks, Mallards | | | | 18 |
| | | Ducks, Wood | | | | 8 |
| | | Falcons, American Kestrels | | | | 1 |
| | | Geese, Canada | | | | 346 |
| | | Gulls, Herring | | | | 350 |
| | | Hawks, Cooper`s | | | | 2 |
| | | Hawks, Harrier, Northern (Marsh Hawks | | | | 3 |
| | | Hawks, Red-Tailed | | | | 18 |
| | | Hérons, Great Blue | | | | 4 |
| | | Larks, Horned | | | | 86 |
| | | Marmots/Woodchucks (All) | | | | 51 |
| | | Owls, Great Horned | | | | 1 |
| | | Owls, Snowy | | | | 3 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Vehicles (All) | | | | | | |
| | Intentional | | | | | |
| | | Starlings, European | | | | 23,794 |
| | | Turkeys, Wild | | | | 7 |
| | | Vultures, Turkey | | | | 70 |
| Whistlers/Screamers | | | | | | |
| | Intentional | | | | | |
| | | Crows, American | | | | 5,170 |
| | | Doves, Mourning | | | | 24 |
| | | Ducks, American Black | | | | 1 |
| | | Ducks, Mallards | | | | 1 |
| | | Geese, Canada | | | | 355 |
| | | Gulls, Black-Backed, Great | | | | 25 |
| | | Gulls, Herring | | | | 1,913 |
| | | Gulls, Ring-Billed | | | | 8 |
| | | Hawks, Harrier, Northern (Marsh Hawks | | | | 2 |
| | | Hawks, Red-Tailed | | | | 8 |
| | | Hérons, Great Blue | | | | 2 |
| | | Owls, Snowy | | | | 2 |
| | | Ravens, Common | | | | 11 |
| | | Sparrows, House/English | | | | 10 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Massachusetts - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Whistlers/Screamers | | | | | | |
| | Intentional | | | | | |
| | | Starlings, European | | | | 117,074 |
| | | Swallows, Bank | | | | 610 |
| | | Turkeys, Wild | | | | 24 |
| | | Vultures, Turkey | | | | 197 |
| | | <i>Total Take for MA</i> | 6,595 | | 306 | 452,813 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.