

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Drc-1339-Pigeons						
	Intentional					
		Pigeons, Feral (Rock)	80			
Effigy, Human						
	Intentional					
		Pigeons, Feral (Rock)				9
		Starlings, European				3,550
Effigy, Vulture						
	Intentional					
		Vultures, Turkey				39
Electronic Harassment Devices (Other						
	Intentional					
		Starlings, European				1,300
Exploders, Gas (All)						
	Intentional					
		Crows, American				15
		Doves, Mourning				43
		Ducks, Mallards				8
		Eagles, Bald				10
		Geese, Canada				113
		Hawks, Red-Tailed				18

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Robins, American				3
		Starlings, European				6,243
		Swallows, Cliff				20
		Vultures, Turkey				3
Firearms						
	Intentional					
		Blackbirds, (Mixed Species)				540
		Blackbirds, Red-Winged	439			7,300
		Coots, American	2			15
		Cowbirds, Brown-Headed	53			1,995
		Coyotes	22			11
		Crows, American	9			239
		Deer, White-Tailed (Wild)	8			1
		Doves, Mourning	323			2,718
		Ducks, Mallards	22			587
		Ducks, Northern Shoveler				12
		Ducks, Teal, Blue-Winged	1			8
		Ducks, Teal, Green-Winged	2			4
		Falcons, American Kestrels	4			2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Foxes, Red	9			
		Geese, Canada	118			36,285
		Geese, Snow, Lesser	9			
		Gulls, Franklin`s	31			548
		Gulls, Ring-Billed	11			177
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks				6
		Hawks, Red-Tailed	26			52
		Hérons, Great Blue	17			9
		Hérons, Green	1			
		Killdeers	114			241
		Kites, Mississippi				1
		Larks, Horned	77			612
		Marmots/Woodchucks (All)	5			
		Meadowlarks, Eastern	2			7
		Opossums, Virginia	3			
		Pelicans, American White	18			22
		Pigeons, Feral (Rock)	260			300

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Rabbits, Cottontail	9			
		Raccoons	6			
		Robins, American	1			3
		Sandpipers, Upland	1			
		Skunks, Striped	14			
		Starlings, European	1,817			60,205
		Swallows, Barn	28			228
		Swallows, Cliff	4			20
		Swine, Feral	16			
		Terns, Caspian	1			
		Vultures, Turkey	45			121
Handcaught/Gathered						
	Intentional					
		Bats (All)	1			
		Cats, Feral/Free Ranging			8	
		Doves, Mourning	2			
		Geese, Canada	2			
		Grackles, Common	4			
		Nighthawks (All)	1		1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Opossums, Virginia	7		1	
		Robins, American	12			
		Snakes, Non-Venomous (Other)			2	
		Sparrows, House/English	4			
		Starlings, European	21			
		Swallows, Barn	3			
		Swallows, Cliff	51			
		Turtles (Other)			5	
		Voles (All)	2			
Lasers (All) (Deterrent)						
	Intentional					
		Crows, American				31,200
		Doves, Mourning				497
		Geese, Canada				20
		Starlings, European				70,030
Nets, Bow						
	Intentional					
		Owls, Great Horned			1	
Nets, Cannon/Rocket						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Nets, Cannon/Rocket	Intentional	Turkeys, Wild			14	
Nets, Mist	Intentional	Sparrows, House/English	53			
		Starlings, European	2			
Nets, Other	Intentional	Swine, Feral	55			
Physical Actions (Hand/Voice)	Intentional	Cowbirds, Brown-Headed				100
		Crows, American				5,403
		Doves, Mourning				473
		Ducks, Mallards				4
		Eagles, Bald				10
		Falcons, American Kestrels				4
		Geese, Canada				182
		Hawks, Red-Tailed				4
		Hawks, Swainson`s				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Herons, Great Blue				2
		Juncos, Dark-Eyed				20
		Killdeers				43
		Kingbirds, Western				3
		Kites, Mississippi				1
		Meadowlarks, Eastern				1
		Pigeons, Feral (Rock)				45
		Robins, American				24
		Sparrows, American Tree				20
		Sparrows, House/English				80
		Starlings, European				80,259
		Swallows, Barn				30
		Swallows, Cliff				42
		Turkeys, Wild				11
		Vultures, Turkey				2
Pneumatics						
	Intentional					
		Blackbirds, Red-Winged	7			
		Crows, American				21

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics	Intentional	Dickcissels	1			
		Doves, Mourning	167			489
		Ducks, Mallards	3			1
		Falcons, American Kestrels	2			
		Finches, House	15			19
		Finches, Purple	3			5
		Geese, Canada	29			40
		Grackles, Common	45			57
		Hawks, Red-Tailed	3			
		Hérons, Green	1			
		Killdeers	133			11
		Kingbirds, Eastern	3			1
		Kingbirds, Western	3			
		Larks, Horned	3			4
		Meadowlarks, Eastern	2			
		Pigeons, Feral (Rock)	1,796			84
		Rabbits, Cottontail	10			
		Robins, American	16			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Skunks, Striped	1			
		Sparrows, House/English	131			68
		Starlings, European	456			718
		Swallows, Barn	9			19
		Swallows, Cliff	11			7
		Vultures, Turkey	1			
Pyrotechnics (All)						
	Intentional					
		Blackbirds, Red-Winged				10,072
		Cats, Feral/Free Ranging				1
		Coots, American				20
		Cormorants, Double-Crested				335
		Cowbirds, Brown-Headed				46
		Coyotes				2
		Crows, American				3,932
		Doves, Mourning				1,647
		Ducks, Bufflehead				61
		Ducks, Gadwall				48
		Ducks, Goldeneye, Common				254

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ducks, Mallards				1,487
		Ducks, Merganser Common				27
		Ducks, Northern Pintail				49
		Ducks, Northern Shoveler				289
		Ducks, Ruddy				11
		Ducks, Scaup, Lesser				158
		Ducks, Teal, Blue-Winged				494
		Ducks, Teal, Green-Winged				10
		Ducks, Wood				7
		Eagles, Bald				35
		Egrets, Great				7
		Falcons, American Kestrels				24
		Geese, Canada				25,380
		Geese, Snow, Lesser				64,276
		Geese, White-Fronted, Greater				215
		Grackles, Common				3
		Grebes, Pied-Billed				10
		Gulls, Franklin`s				315

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Gulls, Laughing				4
		Gulls, Ring-Billed				454
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks				29
		Hawks, Red-Tailed				96
		Hawks, Swainson`s				18
		Hérons, Great Blue				24
		Killdeers				383
		Kites, Mississippi				1
		Larks, Horned				1,390
		Martins, Purple				150
		Meadowlarks, Eastern				101
		Owls, Snowy				4
		Pelicans, American White				910
		Pigeons, Feral (Rock)				240
		Rabbits, Cottontail				2
		Robins, American				93
		Sandpipers, Solitary				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Sandpipers, Upland				12
		Snipes, Wilson`s				3
		Sparrows, House/English				37
		Starlings, European				109,471
		Swallows, Barn				1,488
		Swallows, Cliff				2,241
		Swans, Tundra				14
		Swifts (All)				150
		Terns, Caspian				8
		Turkeys, Wild				23
		Vultures, Black				1
		Vultures, Turkey				1,274
		Yellowlegs, Greater				18
		Yellowlegs, Lesser				6
Scarecrows (All) (Owl, Snake, Silhouet						
	Intentional					
		Doves, Mourning				285
		Geese, Canada				75
		Starlings, European				30,460

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck						
	Intentional					
		Coyotes	3			
		Raccoons	3			
	Unintentional					
		Raccoons	1			
Spotlight						
	Intentional					
		Doves, Mourning				1,057
Traps, Bal-Chatri						
	Intentional					
		Falcons, American Kestrels			2	
Traps, Body Grip						
	Intentional					
		Marmots/Woodchucks (All)	2			
Traps, Cage						
	Intentional					
		Armadillos, Nine-Banded	1			
		Cats, Feral/Free Ranging			8	
		Marmots/Woodchucks (All)	3			
		Opossums, Virginia	54			
		Pigeons, Feral (Rock)	27			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Raccoons	136				
		Skunks, Striped	19				
	Unintentional	Cats, Feral/Free Ranging				11	
		Traps, Decoy	Intentional	Doves, Mourning	29		273
				Hawks, Cooper`s	3		
Unintentional	Pigeons, Feral (Rock)		1,548				
	Starlings, European		38				
Traps, Drive/Corral	Intentional	Hawks, Cooper`s			1		
		Geese, Canada			40		
		Swine, Feral	6				
Traps, Foothold	Intentional	Coyotes	5				
		Raccoons	3				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold (Padded)						
	Intentional					
		Raccoons	2			
Traps, Live, Feral Hogs						
	Intentional					
		Swine, Feral	819		4	
Traps, Other						
	Intentional					
		Voles (All)	1			
Traps, Pole						
	Intentional					
		Falcons, American Kestrels	2		1	
		Hawks, Red-Tailed			12	
Traps, Raptor (Other)						
	Intentional					
		Owls, Great Horned			4	
Traps, Raptor (Swedish Goshawk)						
	Intentional					
		Falcons, American Kestrels	1		4	
		Hawks, Cooper`s	2		14	
		Hawks, Red-Tailed			87	
		Hawks, Sharp-Shinned			5	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Raptor (Swedish Goshawk)	Intentional	Hawks, Swainson`s			1	
		Owls, Barred			1	
		Owls, Great Horned			28	
Traps, Snap (Rat, Mouse, Etc.)	Intentional	Mice, Deer (All)	1			
		Voles (All)	4			
Vehicles (All)	Intentional	Badgers				1
		Coots, American				17
		Cormorants, Double-Crested				43
		Coyotes				41
		Crows, American				308
		Deer, White-Tailed (Wild)				42
		Doves, Mourning				607
		Ducks, Goldeneye, Common				17
		Ducks, Mallards				112
		Ducks, Northern Pintail				14

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Ducks, Northern Shoveler				126
		Ducks, Redhead				35
		Ducks, Teal, Blue-Winged				208
		Ducks, Wood				24
		Eagles, Bald				10
		Egrets, Great				2
		Falcons, American Kestrels				26
		Flickers, Northern				6
		Foxes, Red				2
		Geese, Canada				2,200
		Geese, Snow, Lesser				11,161
		Gulls, Bonaparte`s				9
		Gulls, Franklin`s				10
		Gulls, Ring-Billed				15
		Hawks, Cooper`s				3
		Hawks, Harrier, Northern (Marsh Hawks				32
		Hawks, Red-Shouldered				2
		Hawks, Red-Tailed				67

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Herons, Great Blue				35
		Killdeers				185
		Kingbirds, Eastern				6
		Larks, Horned				164
		Meadowlarks, Eastern				17
		Pelicans, American White				65
		Pheasants, Ring-Necked				6
		Pigeons, Feral (Rock)				16
		Robins, American				8
		Sandpipers, Semipalmated				1
		Sandpipers, Solitary				27
		Sandpipers, Upland				4
		Skunks, Striped				1
		Starlings, European				4,604
		Turkeys, Wild				402
		Vultures, Turkey				39
		<i>Total Take for M</i>	9,392		528	594,160

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.