

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Anhingas				1
		Birds, Unidentifiable				500
		Blackbirds, (Mixed Species)				400
		Coots, American				78
		Cormorants, Double-Crested				313
		Crows, American				126
		Crows, Fish				107
		Doves, Mourning				931
		Ducks, Bufflehead				46
		Ducks, Mallards				232
		Ducks, Merganser, Hooded				5
		Ducks, Northern Shoveler				129
		Ducks, Ring-Necked				7
		Ducks, Ruddy				300
		Egrets, Great				21
		Falcons, American Kestrels				1
		Geese, Canada				1,004
		Gulls, Herring				15

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Gulls, Laughing				626
		Gulls, Ring-Billed				3,813
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				6
		Hérons, Great Blue				31
		Hérons, Green				5
		Killdeers				59
		Kites, Mississippi				2
		Meadowlarks, Eastern				7
		Multiple Species				7,086
		Ospreys				4
		Plovers, Black-Bellied				75
		Plovers, Semipalmated				2
		Sandpipers, Pectoral				57
		Sandpipers, Semipalmated				8
		Starlings, European				623
		Swallows, Barn				18
		Swallows, Cliff				210

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Swallows, Tree				85
		Terns, Forster`s				1
		Terns, Royal				4
		Turkeys, Wild				36
		Vultures, Black				4
		Vultures, Turkey				117
Capa Cartridges						
	Intentional					
		Ospreys				1
		Vultures, Turkey				35
Catch Pole						
	Intentional					
		Dogs, Feral, Free-Ranging And Hybrids			1	
Cracker Shells (12 Gauge)						
	Intentional					
		Birds, Unidentifiable				500
		Cormorants, Double-Crested				523
		Cowbirds, Brown-Headed				500
		Crows, American				9

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Deer, White-Tailed (Wild)				14
		Doves, Mourning				60
		Ducks, Bufflehead				12
		Ducks, Mallards				134
		Ducks, Northern Shoveler				551
		Ducks, Scaup, Lesser				15
		Eagles, Bald				3
		Egrets, Great				26
		Geese, Canada				931
		Gulls, Herring				9
		Gulls, Ring-Billed				547
		Hawks, Harrier, Northern (Marsh Hawks				4
		Hawks, Red-Tailed				13
		Hérons, Great Blue				13
		Kites, Mississippi				40
		Multiple Species				7,264
		Ospreys				3
		Pelicans, Brown				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Starlings, European				200
		Vultures, Black				23
		Vultures, Turkey				537
Dog						
	Intentional					
		Bitterns, American				1
		Ducks, Merganser, Hooded				32
		Ducks, Scaup, Lesser				65
		Egrets, Great				7
		Geese, Canada				320
		Gulls, Herring				45
		Gulls, Laughing				211
		Gulls, Ring-Billed				221
		Hérons, Great Blue				6
		Turkeys, Wild				3
Effigy, Vulture						
	Intentional					
		Vultures, Black				440
		Vultures, Turkey				529

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Electronic Harassment Devices (Other)						
	Intentional					
		Vultures, Turkey				155
Exploders, Gas (All)						
	Intentional					
		Anhingas				6
		Blackbirds, (Mixed Species)				18,750
		Coots, American				110
		Cormorants, Double-Crested				2,066
		Cowbirds, Brown-Headed				3,800
		Coyotes				2
		Crows, American				1,159
		Crows, Fish				399
		Doves, Mourning				788
		Ducks, Bufflehead				103
		Ducks, Mallards				755
		Ducks, Merganser, Hooded				3
		Ducks, Northern Shoveler				966
		Ducks, Redhead				2
		Ducks, Ring-Necked				439

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Ducks, Ruddy				63
		Ducks, Scaup, Lesser				32
		Ducks, Teal, Blue-Winged				60
		Ducks, Teal, Green-Winged				37
		Ducks, Wood				436
		Eagles, Bald				77
		Egrets, Cattle				37
		Egrets, Great				81
		Foxes, Red				1
		Geese, Canada				663
		Gulls, Herring				19
		Gulls, Laughing				2
		Gulls, Ring-Billed				3,436
		Hawks, Cooper`s				3
		Hawks, Harrier, Northern (Marsh Hawks				18
		Hawks, Red-Shouldered				4
		Hawks, Red-Tailed				148
		Hawks, Sharp-Shinned				6

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Herons, Great Blue				241
		Herons, Green				132
		Herons, Little Blue				12
		Herons, Night, Black-Crowned				1
		Herons, Tricolored				2
		Ibises, Glossy				2
		Ibises, White				12
		Killdeers				822
		Kites, Mississippi				195
		Larks, Horned				13
		Loons, Common				3
		Meadowlarks, Eastern				25
		Multiple Species				14,726
		Ospreys				43
		Pigeons, Feral (Rock)				11
		Quail (Other)				12
		Sandpipers, Semipalmated				12
		Starlings, European				910

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Stilts, Black-Necked				5
		Swallows, Barn				200
		Swallows, Northern Rough-Winged				200
		Swallows, Tree				60
		Swans, Tundra				1
		Swifts (All)				800
		Terns, Common				3
		Terns, Forster`s				11
		Vultures, Black				3
		Vultures, Turkey				2,297
Firearms						
	Intentional					
		Beavers	98			
		Blackbirds, Red-Winged	10			5
		Cormorants, Double-Crested	1			
		Cowbirds, Brown-Headed	43			3
		Coyotes	11			2
		Crows, American	5			6
		Crows, Fish	6			13

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Deer, White-Tailed (Wild)	32			
		Doves, Mourning	760			2,058
		Ducks, Mallards	5			
		Ducks, Merganser, Hooded	1			2
		Egrets, Cattle	1			
		Egrets, Great	7			2
		Finches, House	70			
		Foxes, Gray	1			
		Geese, Canada	86			92
		Godwits, Hudsonian	1			
		Grackles, Common	6			33
		Gulls, Black-Backed, Great	1			
		Gulls, Herring	8			23
		Gulls, Laughing	400			4,324
		Gulls, Ring-Billed	174			987
		Hawks, Red-Tailed	2			
		Herons, Great Blue	24			4
		Herons, Green	4			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Killdeers	124			281
		Larks, Horned	11			30
		Marmots/Woodchucks (All)	5			
		Martins, Purple	3			32
		Meadowlarks, Eastern	23			108
		Mockingbirds, Northern	3			
		Muskrats	2			
		Nutrias	112			
		Opossums, Virginia	1			
		Ospreys	1			
		Pigeons, Feral (Rock)	666			2
		Plovers, Black-Bellied	8			101
		Sanderlings				25
		Sandpipers, Pectoral	1			3
		Sandpipers, Semipalmated	1			34
		Sparrows, House/English	34			2
		Squirrels, Eastern Gray	6			
		Starlings, European	152			468

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Swallows, Barn	9			34
		Swallows, Cliff	6			45
		Swallows, Northern Rough-Winged	2			
		Swans, Mute	1			
		Swine, Feral	17			
		Terns, Caspian	2			
		Terns, Forster`s	3			42
		Terns, Royal	3			4
		Terns, Sandwich	9			172
		Vultures, Black	14			100
		Vultures, Turkey	89			220
		Yellowlegs, Greater				1
Flaming Whistlers						
	Intentional					
		Geese, Canada				418
		Hawks, Red-Tailed				1
		Turkeys, Wild				61
Handcaught/Gathered						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Bats (All)			1	
		Deer, White-Tailed (Wild)			1	
		Geese, Canada	2			
		Killdeers	1			
		Snakes, Non-Venomous (Other)			5	
		Swine, Feral	3			
		Turtles (Other)			40	
		Turtles, Common Snapping			6	
Lasers (All) (Deterrent)						
	Intentional					
		Cormorants, Double-Crested				1,604
		Ducks, Mallards				29
		Ducks, Northern Shoveler				139
		Geese, Canada				154
		Gulls, Ring-Billed				34
		Hérons, Great Blue				15
		Multiple Species				6,039
Nets, Cannon/Rocket						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Nets, Cannon/Rocket						
	Intentional					
		Crows, American	7			
		Gulls, Laughing	65			
Nets, Other						
	Intentional					
		Geese, Canada	5			
Paint Balls						
	Intentional					
		Geese, Canada				239
Physical Actions (Hand/Voice)						
	Intentional					
		Bitterns, American				1
		Ducks, Scaup, Lesser				1
		Egrets, Great				1
		Geese, Canada				12
		Gulls, Herring				1
		Hawks, Cooper`s				1
		Ospreys				1
Snares, Neck						
	Intentional					
		Beavers	126			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Snares, Neck	Intentional	Bobcats	1				
		Coyotes	6				
		Foxes, Gray	4				
		Foxes, Red	2				
		Nutrias	5				
		Raccoons	1				
		Unintentional					
		Turtles, Common Snapping				1	
	Traps, Body Grip	Intentional	Beavers	3,444			
			Marmots/Woodchucks (All)	21			
Muskrats			125				
Nutrias			389				
Opossums, Virginia			2				
Raccoons			1				
Skunks, Striped			1				
Turtles, Common Snapping			4				
Unintentional							
						2	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Body Grip	Unintentional	Ducks, Mallards	1			
		Ducks, Merganser, Hooded	2			
		Fish (Other)	1		1	
		Grebes, Pied-Billed	2			
		Otters, River	71			
		Raccoons				1
		Turtles, Common Map				1
		Turtles, Common Snapping	63			80
		Turtles, Painted	12			14
		Turtles, Red-Eared Slider	3			
Traps, Cage	Intentional	Beavers	7			
		Crows, Fish			1	
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Doves, Mourning	3		1	
		Foxes, Gray			1	
		Gulls, Laughing	1			
		Hawks, Cooper`s				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Marmots/Woodchucks (All)	1				
		Mockingbirds, Northern	1				
		Muskrats	1				
		Opossums, Virginia	3				
		Pigeons, Feral (Rock)	336				
		Raccoons	5			85	
		Skunks, Striped	13				
		Vultures, Black	6				
		Vultures, Turkey	47				
		Unintentional	Opossums, Virginia				17
	Turtles, Common Snapping					2	
	Traps, Decoy	Intentional	Pigeons, Feral (Rock)	10			
	Traps, Drive/Corral	Intentional	Geese, Canada	252		45	
	Traps, Foothold	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Foothold						
	Intentional					
		Beavers	171			
		Coyotes	2			
		Nutrias	3			
		Opossums, Virginia	3			
		Raccoons	10			
	Unintentional					
		Turtles, Common Snapping			2	
Traps, Foothold (Padded)						
	Intentional					
		Bobcats	1			
		Coyotes	41			
		Foxes, Gray	1			
		Opossums, Virginia	4		1	
		Raccoons	1			
	Unintentional					
		Vultures, Turkey			1	
Traps, Live, Feral Hogs						
	Intentional					
		Swine, Feral	19			
Vehicles (All)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional					
		Bitterns, American				3
		Blackbirds, Red-Winged				67
		Cats, Feral/Free Ranging				2
		Cowbirds, Brown-Headed				2
		Coyotes				10
		Crows, American				224
		Crows, Fish				225
		Deer, White-Tailed (Wild)				21
		Dogs, Feral, Free-Ranging And Hybrids				3
		Doves, Mourning				2,949
		Ducks, Merganser Common				2
		Ducks, Merganser, Hooded				63
		Ducks, Merganser, Red-Breasted				3
		Ducks, Redhead				2
		Ducks, Ring-Necked				16
		Ducks, Scaup, Lesser				124
		Ducks, Wood				55
		Eagles, Bald				12
		Egrets, Cattle				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Egrets, Great				13
		Falcons, American Kestrels				45
		Falcons, Merlin				2
		Foxes, Gray				2
		Geese, Canada				208
		Godwits, Hudsonian				1
		Grackles, Common				27
		Grebes, Horned				1
		Gulls, Black-Backed, Great				53
		Gulls, Herring				117
		Gulls, Laughing				1,908
		Gulls, Ring-Billed				1,271
		Hawks, Cooper`s				3
		Hawks, Harrier, Northern (Marsh Hawks				3
		Hawks, Red-Tailed				6
		Herons, Great Blue				45
		Herons, Green				26
		Ibises, White				155

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Killdeers				1,549
		Kingbirds, Eastern				2
		Kingfishers, Belted				1
		Larks, Horned				93
		Martins, Purple				65
		Meadowlarks, Eastern				1,256
		Mockingbirds, Northern				3
		Ospreys				9
		Pigeons, Feral (Rock)				3
		Plovers, Black-Bellied				817
		Plovers, Wilson`s				4
		Rabbits, Cottontail				4
		Robins, American				5
		Sanderlings				206
		Sandpipers, Least				21
		Sandpipers, Pectoral				54
		Sandpipers, Semipalmated				139
		Sandpipers, Upland				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Sparrows, House/English				71
		Sparrows, Song				5
		Starlings, European				1,258
		Swallows, Barn				364
		Swallows, Cliff				154
		Swallows, Northern Rough-Winged				30
		Terns, Common				1
		Terns, Forster`s				38
		Terns, Royal				1
		Terns, Sandwich				60
		Turkeys, Wild				74
		Vultures, Turkey				69
		Yellowlegs, Greater				1
Whistlers/Screamers						
	Intentional					
		Birds, Unidentifiable				500
		Blackbirds, (Mixed Species)				6,000
		Coots, American				62
		Cormorants, Double-Crested				635

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Cowbirds, Brown-Headed				19
		Crows, American				445
		Crows, Fish				79
		Doves, Mourning				947
		Ducks, Bufflehead				39
		Ducks, Mallards				493
		Ducks, Merganser, Hooded				354
		Ducks, Northern Shoveler				664
		Ducks, Ring-Necked				87
		Ducks, Ruddy				202
		Ducks, Scaup, Lesser				101
		Ducks, Teal, Blue-Winged				45
		Ducks, Wood				72
		Eagles, Bald				5
		Egrets, Great				40
		Geese, Canada				1,723
		Gulls, Black-Backed, Great				1
		Gulls, Herring				450

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Gulls, Laughing				19,044
		Gulls, Ring-Billed				17,963
		Hawks, Harrier, Northern (Marsh Hawks)				2
		Hawks, Red-Tailed				10
		Hérons, Great Blue				49
		Hérons, Green				3
		Killdeers				120
		Kites, Mississippi				82
		Meadowlarks, Eastern				18
		Multiple Species				7,289
		Ospreys				24
		Pelicans, Brown				2
		Pigeons, Feral (Rock)				29
		Plovers, Black-Bellied				5
		Sandpipers, Pectoral				26
		Starlings, European				710
		Swallows, Barn				205
		Swallows, Cliff				25

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Terns, Royal				3
		Turkeys, Wild				1
		Vultures, Black				4
		Vultures, Turkey				319
		<i>Total Take for NC</i>	8,377		312	177,258

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.