

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Car/Truck | Intentional | Avocets, American | | | | 1 |
| | | Blackbirds, (Mixed Species) | | | | 1,100 |
| | | Blackbirds, Red-Winged | | | | 80 |
| | | Coots, American | | | | 2 |
| | | Cormorants, Double-Crested | | | | 3 |
| | | Coyotes | | | | 3 |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | | 4 |
| | | Doves, Mourning | | | | 55 |
| | | Ducks, Bufflehead | | | | 1 |
| | | Ducks, Gadwall | | | | 50 |
| | | Ducks, Mallards | | | | 909 |
| | | Ducks, Merganser Common | | | | 2 |
| | | Ducks, Teal, Cinnamon | | | | 6 |
| | | Ducks, Teal, Green-Winged | | | | 168 |
| | | Egrets, Great | | | | 27 |
| | | Egrets, Snowy | | | | 42 |
| | | Geese, Canada | | | | 265 |
| Gulls, California | | | | 11 | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Car/Truck | Intentional | | | | | |
| | | Hares, Jackrabbits, Black-Tailed | | | | 1 |
| | | Hawks, Cooper`s | | | | 4 |
| | | Hawks, Harrier, Northern (Marsh Hawks | | | | 16 |
| | | Hawks, Red-Tailed | | | | 86 |
| | | Hérons, Great Blue | | | | 48 |
| | | Hérons, Night, Black-Crowned | | | | 7 |
| | | Ibises, White-Faced | | | | 1 |
| | | Killdeers | | | | 1 |
| | | Kingbirds, Western | | | | 3 |
| | | Larks, Horned | | | | 229 |
| | | Magpies, Black-Billed | | | | 2 |
| | | Owls, Great Horned | | | | 1 |
| | | Pelicans, American White | | | | 3 |
| | | Pigeons, Feral (Rock) | | | | 21 |
| | | Ravens, Common | | | | 28 |
| | | Starlings, European | | | | 319 |
| | | Swallows, Barn | | | | 7 |
| | Swallows, Cliff | | | | 162 | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|-------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Car/Truck | | | | | | |
| | Intentional | | | | | |
| | | Vultures, Turkey | | | | 35 |
| Cracker Shells (12 Gauge) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Gadwall | | | | 10 |
| | | Ducks, Mallards | | | | 88 |
| | | Ducks, Teal, Green-Winged | | | | 10 |
| | | Egrets, Great | | | | 1 |
| | | Geese, Canada | | | | 1,097 |
| | | Hawks, Red-Tailed | | | | 4 |
| | | Hérons, Night, Black-Crowned | | | | 1 |
| | | Swallows, Barn | | | | 400 |
| Drc-1339 Eggs | | | | | | |
| | Intentional | | | | | |
| | | Ravens, Common | 87 | | | |
| Drc-1339 Eggs NV SLN | | | | | | |
| | Intentional | | | | | |
| | | Ravens, Common | 3,396 | | | |
| Drc-1339-Feedlots | | | | | | |
| | Intentional | | | | | |
| | | Starlings, European | 1,800 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Drc-1339-NV SLN (Raven/Util Pole) | Intentional | Ravens, Common | 715 | | | |
| Drc-1339-Pigeons | Intentional | Pigeons, Feral (Rock) | 203 | | | |
| Drc-1339-Staging Areas | Intentional | Starlings, European | 502 | | | |
| Exploders, Gas (All) | Intentional | Ducks, Mallards | | | | 5 |
| Firearms | Intentional | Badgers | 3 | | | |
| | | Coyotes | 327 | | | |
| | | Crows, American | | | | 50 |
| | | Deer, Mule | 1 | | | |
| | | Doves, Mourning | 22 | | | 26 |
| | | Ducks, Gadwall | | | | 3 |
| | | Ducks, Mallards | 9 | | | 112 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Teal, Green-Winged | | | | 5 |
| | | Falcons, American Kestrels | 1 | | | |
| | | Foxes, Red | 1 | | | |
| | | Geese, Canada | 3 | | | 13 |
| | | Gulls, California | 2 | | | 8 |
| | | Hares, Jackrabbits, Black-Tailed | 36 | | | |
| | | Hawks, Red-Tailed | 1 | | | |
| | | Killdeers | 12 | | | 13 |
| | | Larks, Horned | 18 | | | |
| | | Lions, Mountain (Cougar) | 8 | | | |
| | | Marmots/Woodchucks (All) | 8 | | | |
| | | Pigeons, Feral (Rock) | 174 | | | 606 |
| | | Ravens, Common | 35 | | | |
| | | Skunks, Striped | 1 | | | |
| | | Squirrels, Ground, California | 106 | | | |
| | | Starlings, European | 13 | | | |
| Fixed Wing | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 1,734 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|--------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Gas Cartridge, Large | | | | | | |
| | Intentional | | | | | |
| | | Coyotes (Burrow/Den) | | 33 | | |
| Handcaught/Gathered | | | | | | |
| | Intentional | | | | | |
| | | Chipmunks (Other) | 1 | | | |
| | | Crows, American | | | 1 | |
| | | Ducks, Mallards | | | 14 | |
| | | Geese, Canada | | | 2 | |
| | | Hawks, Cooper`s | | | 5 | |
| | | Killdeers | | | 2 | |
| | | Skunks, Striped | 1 | | | |
| | | Sparrows, House/English | | | 1 | |
| Lasers (All) (Deterrent) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Mallards | | | | 21 |
| | | Hawks, Red-Tailed | | | | 1 |
| M-44 Cyanide Capsule | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 223 | | | |
| Pyrotechnics (All) | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Gadwall | | | | 53 |
| | | Ducks, Mallards | | | | 248 |
| | | Ducks, Teal, Green-Winged | | | | 11 |
| | | Geese, Canada | | | | 164 |
| | | Hérons, Night, Black-Crowned | | | | 1 |
| | | Swallows, Barn | | | | 200 |
| Snares, Foot/Leg | | | | | | |
| | Intentional | | | | | |
| | | Bears, Black | 1 | | 1 | |
| Snares, Neck | | | | | | |
| | Intentional | | | | | |
| | | Badgers | 6 | | | |
| | | Coyotes | 277 | | | |
| | | Foxes, Kit | 1 | | | |
| | | Hares, Jackrabbits, Black-Tailed | 111 | | | |
| | | Lions, Mountain (Cougar) | 9 | | | |
| | | Raccoons | 3 | | | |
| | | Skunks, Striped | 2 | | | |
| | | Swine, Feral | 5 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Snares, Neck | Unintentional | Bobcats | 1 | | | |
| | | Coyotes | | | 2 | |
| | | Deer, Mule | 1 | | | |
| | | Porcupines | | | 1 | |
| | | | | | | |
| Sodium Pentobarbital (390 Mg/MI) | Intentional | Skunks, Striped | 10 | | | |
| | | | | | | |
| Traps, Body Grip | Intentional | Marmots/Woodchucks (All) | 3 | | | |
| | | Skunks, Striped | 1 | | | |
| | | | | | | |
| Traps, Cage | Intentional | Cats, Feral/Free Ranging | | | 3 | |
| | | Lions, Mountain (Cougar) | 1 | | | |
| | | Marmots/Woodchucks (All) | 1 | | | |
| | | Porcupines | 1 | | | |
| | | Raccoons | 9 | | | |
| | | Skunks, Striped | 4 | | | |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Drive/Corral | | | | | | |
| | Intentional | | | | | |
| | | Geese, Canada | | | 464 | |
| Traps, Foothold | | | | | | |
| | Intentional | | | | | |
| | | Badgers | 18 | | | |
| | | Bobcats | 3 | | | |
| | | Cats, Feral/Free Ranging | 1 | | | |
| | | Coyotes | 539 | | | |
| | | Raccoons | 1 | | | |
| | | Skunks, Striped | 2 | | | |
| | Unintentional | | | | | |
| | | Badgers | 1 | | | |
| | | Bobcats | | | 3 | |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | 1 | |
| | | Domestic Animal (Pet Or Livestock) | | | 1 | |
| | | Foxes, Kit | | | 1 | |
| | | Foxes, Red | | | 1 | |
| | | Pronghorns (Antelope) | 1 | | 1 | |
| Traps, Foothold (Padded) | | | | | | |
| | Intentional | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nevada - FY 2014

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Foothold (Padded) | Intentional | Coyotes | 4 | | | |
| Traps, Raptor (Other) | Intentional | Hawks, Red-Tailed | | | 5 | |
| Vehicles (All) | Intentional | Gulls, California | | | | 680 |
| Zinc Phosphide Oats (P.Dog) | Intentional | Squirrels, Ground, California | 457 | | | |
| <i>Total Take for NV</i> | | | 10,917 | 33 | 509 | 7,534 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.