

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Calling Device, Electronic	Intentional	Coyotes	206			
		Crows, American	25			
		Raccoons	3			
Calling Device, Manual(Hand,Blown)	Intentional	Coyotes	615			
Catch Pole	Intentional	Coyotes	1			
Drc-1339-OK SLN (Crows)	Intentional	Crows, American	1,210			
Drc-1339-Pigeons	Intentional	Pigeons, Feral (Rock)	175			
Drc-1339-Staging Areas	Intentional	Blackbirds, Yellow-Headed	400			
		Cowbirds, Brown-Headed	3,600			
		Starlings, European	1,575			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Electronic Harassment Devices (Other)						
	Intentional					
		Falcons, American Kestrels				3
		Hawks, Cooper`s				1
		Hawks, Red-Tailed				7
Exploders, Gas (All)						
	Intentional					
		Coyotes				7
		Cranes, Sandhill				250
		Crows, American				95
		Dogs, Feral, Free-Ranging And Hybrids				8
		Doves, Collared, Eurasian				25
		Doves, Mourning				215
		Ducks, Mallards				12
		Falcons, American Kestrels				13
		Flycatchers, Scissor-Tailed				632
		Geese, Canada				10,055
		Grackles, Common				3,825
		Grackles, Great-Tailed				1,405
		Gulls, Ring-Billed				16

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)	Intentional	Hawks, Harrier, Northern (Marsh Hawks)				51
		Hawks, Red-Tailed				122
		Hawks, Swainson`s				71
		Killdeers				148
		Kingbirds, Western				615
		Kites, Mississippi				3
		Larks, Horned				517
		Meadowlarks, Eastern				2,135
		Nighthawks (All)				7
		Pigeons, Feral (Rock)				5,369
		Robins, American				50
		Sandpipers, Upland				715
		Starlings, European				885
		Swallows, Barn				1,135
		Vultures, Turkey				132
Fastrac Blox	Intentional	Mice, House	120			
		Rats, Norway	32			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Armadillos, Nine-Banded	6			
		Badgers	1			
		Beavers	151			
		Blackbirds, Red-Winged	1			
		Blackbirds, Yellow-Headed	861			
		Bobcats	1			
		Cats, Feral/Free Ranging	12			
		Cowbirds, Brown-Headed	24,023			11,760
		Coyotes	107			1
		Crows, American	25			
		Deer, White-Tailed (Wild)	8			
		Dogs, Feral, Free-Ranging And Hybrids	11			
		Doves, Collared, Eurasian	44			
		Doves, Mourning	660			3,967
		Ducks, Mallards	17			200
		Ducks, Northern Pintail				300
		Ducks, Scaup, Lesser	2			
		Egrets, Great	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Falcons, American Kestrels	3			
		Finches, House	1			
		Flycatchers, Scissor-Tailed	102			
		Foxes, Gray	1			
		Geese, Canada	59			10,015
		Grackles, Common	554			34,980
		Grackles, Great-Tailed	527			
		Gulls, Franklin`s	3			
		Gulls, Ring-Billed	54			30
		Hares, Jackrabbits, Black-Tailed	116			
		Hawks, Cooper`s	1			
		Hawks, Harrier, Northern (Marsh Hawks	1			
		Hawks, Red-Tailed	4			
		Killdeers	72			
		Kingbirds, Western	132			
		Larks, Horned	82			
		Meadowlarks, Eastern	318			250
		Meadowlarks, Western	18			75

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Nighthawks (All)	37			
		Opossums, Virginia	15			
		Pigeons, Feral (Rock)	1,396			580
		Porcupines	45			
		Rabbits, Cottontail	33			
		Raccoons	42			
		Roadrunners	1			
		Robins, American	7			
		Sandpipers, Least	1			
		Sandpipers, Upland	150			
		Skunks, Striped	92			
		Starlings, European	4,868			3,230
		Swine, Feral	357			
		Vultures, Black	17			
		Vultures, Turkey	70			535
Fixed Wing						
	Intentional					
		Coyotes	439			
		Swine, Feral	112			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Hand Tools						
	Intentional					
		Beavers (Burrow/Den)		1		
Handcaught/Gathered						
	Intentional					
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Foxes, Gray			1	
		Kites, Mississippi			2	
		Skunks, Striped	1			
		Sparrows, House/English	1			
Helicopter						
	Intentional					
		Coyotes	558			
		Swine, Feral	3,276			
Lasers (All) (Deterrent)						
	Intentional					
		Geese, Canada				7,000
M-44 Cyanide Capsule						
	Intentional					
		Coyotes	3,491			
		Dogs, Feral, Free-Ranging And Hybrids	1			
	Unintentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
M-44 Cyanide Capsule	Unintentional	Dogs, Feral, Free-Ranging And Hybrids	9			
		Opossums, Virginia	4			
		Raccoons	1			
		Skunks, Striped	16			
Nets, Other	Intentional	Blackbirds, Red-Winged	13			
		Doves, Collared, Eurasian	132			
		Doves, Mourning	336			
		Grackles, Common	113			
		Grackles, Great-Tailed	154			
		Pigeons, Feral (Rock)	12			
		Starlings, European	7			
Night Vision/Infrared Equipment	Intentional	Swine, Feral	1			
Pneumatics	Intentional	Blackbirds, Red-Winged	11			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Cowbirds, Brown-Headed	24			
		Pigeons, Feral (Rock)	241			
		Starlings, European	273			
Pyrotechnics (All)						
	Intentional					
		Cowbirds, Brown-Headed				6,800
		Cranes, Sandhill				14
		Crows, American				391
		Ducks, Mallards				30
		Ducks, Northern Pintail				200
		Geese, Canada				31,260
		Grackles, Common				3,300
		Gulls, Franklin`s				80
		Gulls, Ring-Billed				1,007
		Hawks, Red-Tailed				3
		Kites, Mississippi				17
		Meadowlarks, Eastern				20
		Pelicans, American White				240
		Starlings, European				200

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Vultures, Turkey				169
Snares, Neck						
	Intentional					
		Armadillos, Nine-Banded	1			
		Badgers	1			
		Beavers	92			
		Bobcats	1			
		Coyotes	531			
		Opossums, Virginia	2			
		Porcupines	3			
		Rabbits, Cottontail	1			
		Raccoons	14			
		Skunks, Striped	5			
		Swine, Feral	27			
	Unintentional					
		Bobcats	1			
		Deer, White-Tailed (Wild)	2			
		Opossums, Virginia	2			
		Raccoons	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Spotlight						
	Intentional					
		Armadillos, Nine-Banded	5			
		Beavers	323			
		Bobcats	1			
		Cats, Feral/Free Ranging	17			
		Coyotes	30			
		Deer, White-Tailed (Wild)	1			
		Muskrats	9			
		Opossums, Virginia	6			
		Rabbits, Cottontail	28			
		Raccoons	26			
		Skunks, Striped	6			
		Swine, Feral	18			
Traps, Body Grip						
	Intentional					
		Beavers	1,682			
		Coyotes	5			
		Otters, River	12			
	Unintentional					
		Otters, River	12			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Body Grip	Unintentional	Turtles (Other)			5		
		Turtles, Common Snapping	5		14		
		Turtles, Red-Eared Slider	3		14		
Traps, Cage	Intentional	Cats, Feral/Free Ranging	3		1		
		Foxes, Gray	4		1		
		Opossums, Virginia	25				
		Pigeons, Feral (Rock)	117				
		Raccoons	151				
		Skunks, Striped	93				
		Swine, Feral	1,362				
Traps, Decoy	Intentional	Cats, Feral/Free Ranging			1		
		Deer, White-Tailed (Wild)			3		
		Opossums, Virginia			2		
		Rats, Norway	1				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy						
	Intentional					
		Doves, Collared, Eurasian	166			
		Pigeons, Feral (Rock)	3,015			
Traps, Drive/Corral						
	Intentional					
		Swine, Feral	13			
Traps, Foothold						
	Intentional					
		Badgers	2			
		Beavers	6			
		Bobcats	2			
		Coyotes	344		1	
		Raccoons	43			
		Skunks, Striped	2			
	Unintentional					
		Foxes, Gray	1			
		Raccoons	8			
		Skunks, Striped	1			
Traps, Other						
	Intentional					
		Coyotes	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Pole	Intentional	Falcons, American Kestrels			7	
		Hawks, Red-Tailed			16	
		Hawks, Swainson`s			3	
		Meadowlarks, Eastern	7			
Traps, Raptor (Other)	Intentional	Hawks, Cooper`s			1	
		Hawks, Red-Tailed			6	
		Owls, Great Horned			2	
Vehicles (All)	Intentional	Coyotes				15
		Dogs, Feral, Free-Ranging And Hybrids				6
		Doves, Mourning				265
		Falcons, American Kestrels				1
		Geese, Canada				3,047
		Hares, Jackrabbits, Black-Tailed				3
		Hawks, Harrier, Northern (Marsh Hawks				9
		Hawks, Red-Tailed				17

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2014

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Killdeers				4
		Meadowlarks, Eastern				175
		Meadowlarks, Western				70
		Vultures, Turkey				26
		<i>Total Take for OK</i>	60,539	1	81	148,816

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.