

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>A/C Powder</b>						
	<b>Intentional</b>					
		<b>Ducks, Feral</b>	<b>3</b>			
		<b>Ducks, Mallards</b>	<b>53</b>			
		<b>Geese, Canada</b>	<b>10</b>			
<b>A/C Tablets: 40 Mg</b>						
	<b>Intentional</b>					
		<b>Ducks, Mallards</b>	<b>6</b>			
<b>Avian Control</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				<b>60,000</b>
<b>Boat</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>				<b>425</b>
<b>Calling Device, Electronic</b>						
	<b>Intentional</b>					
		<b>Foxes, Red</b>	<b>2</b>			
<b>Dog</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>				<b>1,598</b>
<b>Drc-1339-Feedlots</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Drc-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	<b>27,067</b>			
<b>Effigy, Vulture</b>						
	<b>Intentional</b>					
		<b>Vultures, Black</b>				<b>85</b>
		<b>Vultures, Turkey</b>				<b>135</b>
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>				<b>1,834</b>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				<b>60,000</b>
		<b>Crows, American</b>				<b>195</b>
		<b>Gulls, Ring-Billed</b>				<b>2,600</b>
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				<b>4,100</b>
		<b>Blackbirds, Red-Winged</b>	<b>36</b>			<b>678</b>
		<b>Bobolinks</b>				<b>20</b>
		<b>Cats, Feral/Free Ranging</b>	<b>23</b>			
		<b>Coots, American</b>	<b>1</b>			<b>4</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Cormorants, Double-Crested</b>	8			55
		<b>Cowbirds, Brown-Headed</b>	5			
		<b>Coyotes</b>	11			3
		<b>Crows, American</b>	77			281
		<b>Crows, Fish</b>	22			770
		<b>Deer, White-Tailed (Captive)</b>	15			
		<b>Deer, White-Tailed (Wild)</b>	57			
		<b>Doves, Mourning</b>	215			550
		<b>Ducks, American Black</b>	3			72
		<b>Ducks, Feral</b>	2			
		<b>Ducks, Mallards</b>	54			281
		<b>Ducks, Northern Shoveler</b>				24
		<b>Ducks, Ring-Necked</b>				9
		<b>Ducks, Teal, Green-Winged</b>	1			30
		<b>Egrets, Great</b>				3
		<b>Falcons, American Kestrels</b>	17			12
		<b>Flickers, Northern</b>				1
		<b>Foxes, Gray</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Foxes, Red	22			2
		Geese, Canada	541			1,217
		Goldfinches, American				6
		Grackles, Common	457			8
		Gulls, Black-Backed, Great	4			
		Gulls, Herring	72			1,066
		Gulls, Laughing	10			25
		Gulls, Ring-Billed	315			14,272
		Hawks, Cooper`s				2
		Hawks, Red-Tailed	51			16
		Hawks, Sharp-Shinned	1			
		Hérons, Great Blue	15			3
		Killdeers	159			195
		Larks, Horned	22			67
		Marmots/Woodchucks (All)	213			1
		Meadowlarks, Eastern	4			17
		Opossums, Virginia	2			
		Pheasants, Ring-Necked	7			1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	195			22
		Rabbits, Cottontail	61			1
		Raccoons	7			
		Ravens, Common	1			
		Robins, American	11			77
		Skunks, Striped	8			
		Sparrows, Chipping	1			
		Sparrows, House/English	20			3
		Starlings, European	1,264			36,228
		Swallows, Bank	100			3,225
		Swallows, Barn	39			315
		Swans, Mute	27			
		Turkeys, Wild	36			46
		Vultures, Turkey	8			1
		Woodcock, American	2			1
	<b>Unintentional</b>					
		Cats, Feral/Free Ranging	1			
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		<b>Marmots/Woodchucks (All) (Burrow/De</b>		<b>288</b>		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		<b>Ducks, Feral</b>	<b>2</b>		<b>7</b>	
		<b>Ducks, Mallards</b>	<b>5</b>		<b>45</b>	
		<b>Falcons, American Kestrels</b>			<b>1</b>	
		<b>Geese, Canada</b>	<b>217</b>			
		<b>Gulls, Herring</b>	<b>1</b>			
		<b>Gulls, Ring-Billed</b>	<b>2</b>			
		<b>Marmots/Woodchucks (All)</b>	<b>1</b>			
		<b>Pheasants, Ring-Necked</b>	<b>2,500</b>			
		<b>Pigeons, Feral (Rock)</b>	<b>30</b>			
		<b>Robins, American</b>	<b>3</b>			
		<b>Sparrows, House/English</b>	<b>11</b>			
		<b>Starlings, European</b>	<b>53</b>			
		<b>Swallows, Barn</b>	<b>31</b>			
		<b>Swallows, Northern Rough-Winged</b>	<b>5</b>			
		<b>Swans, Mute</b>	<b>1</b>			
		<b>Vultures, Black</b>	<b>1</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Crows, Fish				45
		Geese, Canada				1,655
		Vultures, Black				5
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Ducks, Mallards	6			
		Geese, Canada	1			
		Owls, Snowy			1	
<b>Night Vision/Infrared Equipment</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested	241			
		Deer, White-Tailed (Wild)	3			
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Geese, Canada				13,760
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Geese, Canada				4,521
		Pigeons, Feral (Rock)				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Starlings, European				512
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				207,820
		Blackbirds, Red-Winged				2,941
		Bluebirds, Eastern				22
		Coots, American				35
		Cormorants, Double-Crested				32
		Cowbirds, Brown-Headed				6,816
		Coyotes				1
		Crows, American				4,913
		Crows, Fish				1,331
		Deer, White-Tailed (Wild)				1
		Doves, Mourning				721
		Ducks, American Black				284
		Ducks, Bufflehead				3
		Ducks, Gadwall				47
		Ducks, Goldeneye, Common				2
		Ducks, Mallards				914

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Merganser Common				1
		Ducks, Merganser, Hooded				8
		Ducks, Northern Pintail				56
		Ducks, Northern Shoveler				44
		Ducks, Redhead				4
		Ducks, Ring-Necked				31
		Ducks, Teal, Blue-Winged				4
		Ducks, Teal, Green-Winged				154
		Ducks, Wigeon, American				5
		Ducks, Wood				8
		Eagles, Bald				7
		Egrets, Great				14
		Falcons, American Kestrels				65
		Falcons, Peregrine				1
		Finches, House				10
		Geese, Canada				37,454
		Grackles, Common				3,030
		Grebes, Pied-Billed				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Gulls, Black-Backed, Great				170
		Gulls, Herring				6,121
		Gulls, Laughing				845
		Gulls, Ring-Billed				44,288
		Hawks, Cooper`s				4
		Hawks, Harrier, Northern (Marsh Hawks				8
		Hawks, Red-Tailed				138
		Hawks, Rough-Legged				2
		Hérons, Great Blue				28
		Hérons, Green				2
		Killdeers				203
		Larks, Horned				110
		Meadowlarks, Eastern				180
		Mockingbirds, Northern				16
		Ospreys				17
		Owls, Short-Eared				13
		Owls, Snowy				24
		Pigeons, Feral (Rock)				82

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ravens, Common				3
		Robins, American				546
		Sandpipers, Upland				2
		Sandpipers, Western				1
		Shrikes (Other)				10
		Sparrows, Chipping				12
		Sparrows, House/English				145
		Starlings, European				150,243
		Swallows, Bank				17,280
		Swallows, Barn				1,188
		Swallows, Cliff				10
		Swallows, Tree				490
		Swans, Tundra				60
		Turkeys, Wild				43
		Vultures, Black				56
		Vultures, Turkey				537
<b>Rejex-It Ag-39 (Liqd)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				3,000

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	2			
		Cats, Feral/Free Ranging	1			
		Coyotes	2			
		Foxes, Red	1			
		Marmots/Woodchucks (All)	2			
<b>Spotlight</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging	1			
		Deer, White-Tailed (Wild)	1,011			
		Doves, Mourning	1			
		Foxes, Red	5			
		Geese, Canada	2			1
		Geese, Snow, Greater	1			
		Opossums, Virginia	1			
		Rabbits, Cottontail	22			
		Raccoons	2			
		Skunks, Striped	2			
<b>Traps, Body Grip</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	5				
		Marmots/Woodchucks (All)	192				
		Opossums, Virginia	1				
		Rabbits, Cottontail	1				
	<b>Unintentional</b>	Cats, Feral/Free Ranging	2				
		Minks	1				
		Rabbits, Cottontail	1				
	<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	12		5	
			Coyotes	3			
Hawks, Red-Tailed			2				
Marmots/Woodchucks (All)			58				
Opossums, Virginia			2		3		
Pigeons, Feral (Rock)			59				
Raccoons			66		4		
Skunks, Striped			16		1		
Sparrows, House/English			69				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>					
		Starlings, European	7			
	<b>Unintentional</b>					
		Cats, Feral/Free Ranging			9	
		Foxes, Gray			1	
		Foxes, Red			1	
		Opossums, Virginia			20	
		Rabbits, Cottontail			4	
		Raccoons	3		1	
		Rats, Norway	1			
		Robins, American			1	
		Skunks, Striped			2	
		Squirrels, Eastern Gray	1			
<b>Traps, Decoy</b>	<b>Intentional</b>					
		Cowbirds, Brown-Headed	121			
		Doves, Mourning			24	
		Grackles, Common	11			
		Pigeons, Feral (Rock)	155			
		Sparrows, House/English	6			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Intentional</b>	Starlings, European	2,336		25	
	<b>Unintentional</b>	Hawks, Cooper`s			1	
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	817			
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	1			
		Coyotes	1			
		Foxes, Red	3			
		Raccoons	3			
		Skunks, Striped	2			
	<b>Unintentional</b>	Opossums, Virginia			3	
		Rabbits, Cottontail	1			
<b>Traps, Other</b>	<b>Intentional</b>	Hawks, Red-Tailed	1			
		Sparrows, House/English	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Other</b>						
	<b>Intentional</b>					
		<b>Vultures, Black</b>	<b>156</b>			
		<b>Vultures, Turkey</b>	<b>10</b>			
		<b>Woodpeckers, Hairy</b>	<b>1</b>			
	<b>Unintentional</b>					
		<b>Jays, Blue</b>			<b>1</b>	
		<b>Nuthatches, White-Breasted</b>			<b>1</b>	
<b>Traps, Pole</b>						
	<b>Intentional</b>					
		<b>Falcons, American Kestrels</b>	<b>4</b>			
		<b>Owls, Short-Eared</b>			<b>4</b>	
		<b>Owls, Snowy</b>			<b>1</b>	
<b>Traps, Raptor (Other)</b>						
	<b>Intentional</b>					
		<b>Hawks, Red-Tailed</b>	<b>3</b>			
		<b>Owls, Snowy</b>			<b>3</b>	
<b>Traps, Raptor (Swedish Goshawk)</b>						
	<b>Intentional</b>					
		<b>Hawks, Cooper`s</b>	<b>1</b>			
<b>Traps, Suitcase</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Suitcase</b>	<b>Intentional</b>	Woodpeckers, Downy	6			
		Woodpeckers, Hairy	1			
		Woodpeckers, Red-Bellied	1			
	<b>Unintentional</b>	Jays, Blue				1
<b>Vehicles (All)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				1,644
		Bluebirds, Eastern				14
		Bobolinks				1
		Buntings, Snow				13
		Coots, American				5
		Cormorants, Double-Crested				11
		Cowbirds, Brown-Headed				2,583
		Coyotes				2
		Crows, American				228
		Deer, White-Tailed (Wild)				4
		Doves, Mourning				524
		Ducks, American Black				210

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Goldeneye, Common				1
		Ducks, Mallards				681
		Ducks, Merganser Common				2
		Ducks, Merganser, Hooded				17
		Ducks, Northern Shoveler				13
		Ducks, Redhead				9
		Ducks, Ring-Necked				18
		Ducks, Teal, Blue-Winged				20
		Ducks, Teal, Green-Winged				148
		Ducks, Wigeon, American				19
		Eagles, Bald				3
		Egrets, Great				12
		Falcons, American Kestrels				44
		Finches, House				35
		Foxes, Gray				2
		Foxes, Red				15
		Geese, Canada				10,597
		Goldfinches, American				18

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Grackles, Common				10
		Gulls, Herring				263
		Gulls, Ring-Billed				365
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				8
		Hawks, Red-Tailed				100
		Hawks, Rough-Legged				1
		Hérons, Great Blue				83
		Hérons, Green				1
		Killdeers				260
		Larks, Horned				99
		Meadowlarks, Eastern				141
		Ospreys				1
		Owls, Great Horned				1
		Owls, Short-Eared				1
		Owls, Snowy				8
		Pipits, American				2
		Robins, American				228

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Sandpipers, Solitary				1
		Shrikes (Other)				2
		Snipes, Wilson`s				1
		Sparrows, House/English				75
		Starlings, European				9,963
		Swallows, Bank				4,000
		Swallows, Barn				395
		Swallows, Tree				200
		Vultures, Turkey				18
		Woodcock, American				11
		Yellowlegs, Greater				2
		Yellowlegs, Lesser				5
		<i>Total Take for PA</i>	<b>39,679</b>	<b>288</b>	<b>170</b>	<b>736,882</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*