

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Tablets: 40 Mg</b>	<b>Intentional</b>	<b>Ducks, Muscovy</b>	<b>1</b>			
<b>A/C Tablets: 60 Mg</b>	<b>Intentional</b>	<b>Ducks, Feral</b>			<b>5</b>	
		<b>Ducks, Mallards</b>			<b>3</b>	
		<b>Ducks, Muscovy</b>	<b>6</b>		<b>4</b>	
		<b>Geese, Feral</b>			<b>4</b>	
<b>Avitrol:-4 Mixed Grains</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	<b>100</b>			
		<b>Sparrows, House/English</b>	<b>70</b>			
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Bobcats</b>	<b>30</b>			
		<b>Coyotes</b>	<b>269</b>			
		<b>Crows, American</b>	<b>3</b>			
		<b>Foxes, Gray</b>	<b>158</b>			
		<b>Foxes, Red</b>	<b>5</b>			
		<b>Raccoons</b>	<b>6</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>						
	<b>Intentional</b>					
		<b>Swine, Feral</b>	<b>4</b>			
<b>Calling Device, Manual(Hand,Blown)</b>						
	<b>Intentional</b>					
		<b>Bobcats</b>	<b>4</b>			
		<b>Coyotes</b>	<b>235</b>			
		<b>Foxes, Gray</b>	<b>14</b>			
		<b>Foxes, Red</b>	<b>1</b>			
		<b>Raccoons</b>	<b>1</b>			
		<b>Swine, Feral</b>	<b>1</b>			
<b>Car/Truck</b>						
	<b>Intentional</b>					
		<b>Caracaras</b>				<b>2</b>
		<b>Coyotes</b>				<b>6</b>
		<b>Cranes, Sandhill</b>				<b>15</b>
		<b>Deer, White-Tailed (Wild)</b>				<b>17</b>
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>				<b>6</b>
		<b>Hérons, Great Blue</b>				<b>257</b>
		<b>Ospreys</b>				<b>3</b>
		<b>Peccaries, Collared (Javelina)</b>				<b>63</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Catch Pole</b>						
	<b>Intentional</b>					
		<b>Raccoons</b>	<b>2</b>		<b>1</b>	
		<b>Snakes, Non-Venomous (Other)</b>			<b>1</b>	
<b>Compound 1080 Lp Collar (TX)</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	<b>3</b>			
<b>Drc-1339 Eggs</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	<b>15</b>			
		<b>Ravens, Common</b>	<b>114</b>			
<b>Drc-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-Winged</b>	<b>105,163</b>			
		<b>Cowbirds, Brown-Headed</b>	<b>102,322</b>			
		<b>Grackles, Common</b>	<b>52,680</b>			
		<b>Starlings, European</b>	<b>38</b>			
<b>Drc-1339-TX SLN (Crows)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	<b>15</b>			
<b>Electronic Harassment Devices (Other)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other</b>						
	<b>Intentional</b>					
		Caracaras				6
		Doves, Mourning				56
		Doves, White-Winged				2,755
		Egrets, Cattle				19
		Egrets, Great				2
		Falcons, American Kestrels				16
		Flycatchers, Scissor-Tailed				10
		Grackles, Great-Tailed				802
		Hawks, Red-Tailed				1
		Hawks, Swainson`s				1
		Killdeers				13
		Meadowlarks, Eastern				55
		Meadowlarks, Western				115
		Pigeons, Feral (Rock)				103
		Starlings, European				375
		Swallows, Barn				20
		Vultures, Black				55
		Vultures, Turkey				11

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				200
		<b>Caracaras</b>				2
		<b>Cormorants, Double-Crested</b>				500
		<b>Doves, Mourning</b>				630
		<b>Ducks, Mottled</b>				2
		<b>Ducks, Northern Pintail</b>				300
		<b>Ducks, Northern Shoveler</b>				25
		<b>Ducks, Teal, Blue-Winged</b>				15
		<b>Egrets, Cattle</b>				1,600
		<b>Falcons, American Kestrels</b>				15
		<b>Flycatchers, Scissor-Tailed</b>				107
		<b>Grackles, Common</b>				6,200
		<b>Grackles, Great-Tailed</b>				7,750
		<b>Gulls, Laughing</b>				900
		<b>Hawks, Cooper`s</b>				2
		<b>Hawks, Swainson`s</b>				12
		<b>Hérons, Great Blue</b>				71
		<b>Hérons, Little Blue</b>				120

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Larks, Horned				519
		Meadowlarks, Western				383
		Ospreys				6
		Ravens, Common				8
		Starlings, European				8,400
		Swallows, Barn				505
		Swallows, Cliff				10,000
<b>Firearms</b>						
	<b>Intentional</b>					
		Armadillos, Nine-Banded	2			
		Beavers	152			
		Blackbirds, (Mixed Species)				200
		Blackbirds, Red-Winged	25			75
		Bobcats	29			
		Caracaras	7			9
		Coots, American	6			60
		Cormorants, Double-Crested	34			6,500
		Cowbirds, Brown-Headed				500
		Coyotes	483			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Cranes, Sandhill</b>				14
		<b>Crows, American</b>	87			6
		<b>Curlews, Long-Billed</b>	3			11
		<b>Deer, White-Tailed (Wild)</b>	20			4
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	15			
		<b>Doves, Collared, Eurasian</b>	1			
		<b>Doves, Mourning</b>	974			2,370
		<b>Doves, White-Winged</b>	20			316
		<b>Ducks, Gadwall</b>	4			30
		<b>Ducks, Mallards</b>	11			184
		<b>Ducks, Northern Pintail</b>	2			425
		<b>Ducks, Northern Shoveler</b>	20			30
		<b>Ducks, Scaup, Lesser</b>	5			
		<b>Ducks, Teal, Blue-Winged</b>	35			190
		<b>Ducks, Whistling, Black-Bellied</b>	8			6
		<b>Egrets, Cattle</b>	435			11,300
		<b>Egrets, Snowy</b>	2			
		<b>Falcons, American Kestrels</b>	8			162

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Finches, House	44			
		Flycatchers, Scissor-Tailed	11			62
		Foxes, Gray	59			
		Foxes, Red	12			
		Grackles, Common	285			5,602
		Grackles, Great-Tailed	61			42
		Gulls, Ring-Billed	19			275
		Hares, Jackrabbits, Black-Tailed	67			6
		Hawks, Cooper`s	1			
		Hawks, Harrier, Northern (Marsh Hawks)	1			
		Hawks, Red-Tailed	15			17
		Hawks, Swainson`s	20			228
		Hérons, Great Blue	5			207
		Killdeers	56			39
		Kingbirds, Western	5			
		Larks, Horned	11			53
		Lions, Mountain (Cougar)	15			
		Longspurs, Lapland	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Meadowlarks, Eastern	46			450
		Meadowlarks, Western	212			2,088
		Nighthawks (All)	3			
		Nutrias	14			
		Opossums, Virginia	4			
		Ospreys	2			7
		Owls, Common Barn	1			
		Pelicans, American White				30
		Pigeons, Feral (Rock)	1,169			525
		Porcupines	1			
		Prairie Dogs, Black-Tailed	9			
		Rabbits, Cottontail	6			
		Raccoons	82			
		Ravens, Common				4
		Sandpipers, Upland	19			26
		Shrikes, Loggerhead	1			
		Skunks, Striped	70			
		Sparrows, House/English	25			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Sparrows, Lark	2			23
		Squirrels, Fox	8			
		Starlings, European	471			11,862
		Swallows, Barn	20			68
		Swallows, Cliff	35			
		Swine, Feral	1,589			
		Vultures, Black	424			756
		Vultures, Turkey	134			1,154
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Bobcats	2			
		Coyotes	746			
		Foxes, Red	3			
		Swine, Feral	1,144			
<b>Fumitoxin Pellets</b>						
	<b>Intentional</b>					
		Prairie Dogs, Black-Tailed (Burrow/Den)		33		
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		8		
		Foxes, Red (Burrow/Den)		13		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging			1	
		Cormorants, Double-Crested			1	
		Coyotes	5			
		Dogs, Feral, Free-Ranging And Hybrids			3	
		Ducks, Feral	1			
		Ducks, Mallards	2			
		Ducks, Muscovy	4			
		Geese, Canada	31			
		Geese, Feral	1			
		Hawks, Red-Tailed			1	
		Nighthawks (All)			2	
		Owls, Great Horned			2	
		Peccaries, Collared (Javelina)	5			
		Pigeons, Feral (Rock)	5			
		Raccoons	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		<b>Snakes, Garter (All)</b>			1	
		<b>Snakes, Non-Venomous (Other)</b>			1	
		<b>Snakes, Rattlesnakes, Western Diamond</b>	1			
<b>Helicopter</b>						
	<b>Intentional</b>					
		<b>Bobcats</b>	52			
		<b>Coyotes</b>	857			
		<b>Foxes, Gray</b>	6			
		<b>Foxes, Red</b>	17			
		<b>Swine, Feral</b>	7,332			
<b>Jabstick</b>						
	<b>Intentional</b>					
		<b>Raccoons</b>	2			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				150
		<b>Blackbirds, Red-Winged</b>				5
		<b>Ducks, Whistling, Black-Bellied</b>				4
		<b>Grackles, Common</b>				17,250

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Grackles, Great-Tailed				43,745
		Pigeons, Feral (Rock)				96
		Starlings, European				5,245
		Vultures, Black				260
		Vultures, Turkey				2
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		Coyotes	4,341			
		Dogs, Feral, Free-Ranging And Hybrids	8			
		Foxes, Gray	376			
		Foxes, Red	53			
	<b>Unintentional</b>					
		Cats, Feral/Free Ranging	1			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Gray	4			
		Opossums, Virginia	8			
		Peccaries, Collared (Javelina)	1			
		Raccoons	37			
		Swine, Feral	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Doves, Collared, Eurasian	3			
		Doves, Mourning	85			
		Geese, Canada	44			
		Grackles, Common	19			
		Grackles, Great-Tailed	20			
		Pigeons, Feral (Rock)	14			
<b>Night Vision/Infrared Equipment</b>						
	<b>Intentional</b>					
		Beavers	252			
		Bobcats	1			
		Coyotes	35			
		Nutrias	15			
		Otters, River	1			
		Raccoons	4			
		Swine, Feral	662			
<b>Perc Machine</b>						
	<b>Intentional</b>					
		Pocket Gophers, (Other)	215			
		Squirrels, Ground (Other)	120			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)				12
		Starlings, European				70
		Vultures, Black				10
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				200
		Caracaras				7
		Cormorants, Double-Crested				5,005
		Cowbirds, Brown-Headed				145
		Coyotes				2
		Cranes, Sandhill				143
		Curlews, Long-Billed				10
		Doves, Mourning				1,520
		Doves, White-Winged				66,093
		Ducks, Mallards				20
		Egrets, Cattle				16,035
		Falcons, American Kestrels				2
		Flycatchers, Scissor-Tailed				67

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				6
		Grackles, Common				4,100
		Grackles, Great-Tailed				233
		Gulls, Laughing				32
		Gulls, Ring-Billed				1,100
		Hawks, Broad-Winged				30
		Hawks, Red-Tailed				4
		Hawks, Swainson`s				81
		Hérons, Great Blue				58
		Killdeers				3
		Meadowlarks, Eastern				435
		Meadowlarks, Western				620
		Ospreys				6
		Owls, Great Horned				2
		Pelicans, American White				480
		Pigeons, Feral (Rock)				52
		Sandpipers, Upland				1,300
		Sparrows, Lark				8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Starlings, European				16,760
		Swallows, Barn				713
		Swallows, Cliff				5,131
		Vultures, Black				863
		Vultures, Turkey				1,121
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	16			
		Beavers	78			
		Bobcats	278			
		Cats, Feral/Free Ranging	1			
		Coyotes	8,536		1	
		Dogs, Feral, Free-Ranging And Hybrids	105		2	
		Foxes, Gray	341			
		Foxes, Red	41			
		Lions, Mountain (Cougar)	6			
		Nutrias	37			
		Otters, River	1			
		Peccaries, Collared (Javelina)	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Porcupines</b>	11				
		<b>Raccoons</b>	492				
		<b>Skunks, Striped</b>	17				
		<b>Swine, Feral</b>	3,234				
	<b>Unintentional</b>	<b>Armadillos, Nine-Banded</b>	11			8	
		<b>Badgers</b>	45			8	
		<b>Bobcats</b>	3				
		<b>Deer, Mule</b>	1				
		<b>Deer, White-Tailed (Wild)</b>	58			7	
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	5			2	
		<b>Domestic Animal (Pet Or Livestock)</b>	7			6	
		<b>Foxes, Gray</b>	8			1	
		<b>Hares, Jackrabbits, Black-Tailed</b>	30				
		<b>Opossums, Virginia</b>	1				
		<b>Otters, River</b>	1				
<b>Peccaries, Collared (Javelina)</b>	143			12			
<b>Porcupines</b>	74			5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Rabbits, Cottontail	3			
		Raccoons	56			
		Skunks, Striped	2			
		Swine, Feral	6			
		Turkeys, Wild	2			
<b>Spotlight</b>	<b>Intentional</b>	Beavers	344			
		Coyotes	4			
		Hares, Jackrabbits, Black-Tailed	9			
		Nutrias	10			
		Opossums, Virginia	4			
		Pigeons, Feral (Rock)	66			
		Raccoons	10			
		Skunks, Striped	58			
		Swine, Feral	30			
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	633			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Nutrias</b>	12				
		<b>Otters, River</b>	18				
		<b>Skunks, Striped</b>	1				
	<b>Unintentional</b>	<b>Alligators, American</b>	1				
		<b>Otters, River</b>	24				
		<b>Raccoons</b>	4				
		<b>Turtles, Common Snapping</b>	13			1	
	<b>Traps, Cage</b>	<b>Intentional</b>	<b>Beavers</b>	10			
			<b>Bobcats</b>	8			
			<b>Caracaras</b>	7			
<b>Cats, Feral/Free Ranging</b>			5			1	
<b>Coyotes</b>			1				
<b>Dogs, Feral, Free-Ranging And Hybrids</b>			5				
<b>Foxes, Gray</b>			9				
<b>Geese, Canada</b>			13				
<b>Grackles, Common</b>			15				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Grackles, Great-Tailed</b>	1			
		<b>Nutrias</b>			16	
		<b>Opossums, Virginia</b>	63			
		<b>Pigeons, Feral (Rock)</b>	258			
		<b>Raccoons</b>	195		30	
		<b>Skunks, Striped</b>	57			
		<b>Squirrels, Fox</b>	14		1	
		<b>Swine, Feral</b>	3,265			
		<b>Vultures, Black</b>	1,308			
		<b>Vultures, Turkey</b>	2			
	<b>Unintentional</b>	<b>Armadillos, Nine-Banded</b>	2		1	
		<b>Cats, Feral/Free Ranging</b>	1		1	
		<b>Deer, White-Tailed (Wild)</b>			4	
		<b>Doves, Collared, Eurasian</b>			6	
		<b>Doves, Inca</b>			2	
		<b>Doves, Mourning</b>	2		112	
		<b>Falcons, Peregrine</b>			3	
		<b>Hawks, Cooper`s</b>			2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Unintentional</b>	<b>Opossums, Virginia</b>	3		1	
		<b>Rabbits, Cottontail</b>			1	
		<b>Raccoons</b>	1		1	
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Swine, Feral</b>	27			
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Beavers</b>	52			
		<b>Bobcats</b>	233			
		<b>Coyotes</b>	843			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	2			
		<b>Foxes, Gray</b>	332			
		<b>Foxes, Red</b>	29			
		<b>Lions, Mountain (Cougar)</b>	7			
		<b>Nutrias</b>	9			
		<b>Opossums, Virginia</b>	4			
		<b>Raccoons</b>	572			
		<b>Skunks, Striped</b>	35			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Swine, Feral</b>	<b>30</b>			
	<b>Unintentional</b>	<b>Badgers</b>	<b>15</b>			
		<b>Deer, White-Tailed (Wild)</b>	<b>1</b>		<b>4</b>	
		<b>Foxes, Gray</b>	<b>1</b>			
		<b>Hares, Jackrabbits, Black-Tailed</b>	<b>1</b>			
		<b>Nutrias</b>	<b>1</b>			
		<b>Otters, River</b>	<b>1</b>			
		<b>Peccaries, Collared (Javelina)</b>	<b>3</b>			
		<b>Porcupines</b>	<b>10</b>			
		<b>Raccoons</b>	<b>50</b>			
		<b>Skunks, Gulf Coast Hog-Nosed</b>	<b>2</b>			
		<b>Skunks, Hog-Nosed</b>	<b>4</b>			
		<b>Skunks, Striped</b>	<b>13</b>			
		<b>Turkeys, Wild</b>	<b>1</b>			
		<b>Vultures, Black</b>	<b>3</b>		<b>2</b>	
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	<b>Bobcats</b>	<b>2</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	<b>Coyotes</b>	35			
		<b>Opossums, Virginia</b>	2			
		<b>Raccoons</b>	7			
<b>Traps, Gopher</b>	<b>Intentional</b>	<b>Pocket Gophers, (Other)</b>	150			
<b>Traps, Other</b>	<b>Intentional</b>	<b>Raccoons</b>	104			
<b>Traps, Pole</b>	<b>Intentional</b>	<b>Falcons, American Kestrels</b>			4	
<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Caracaras</b>				6
		<b>Cowbirds, Brown-Headed</b>				50
		<b>Coyotes</b>				8
		<b>Curlews, Long-Billed</b>				3
		<b>Deer, White-Tailed (Wild)</b>				20

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids				6
		Doves, Mourning				446
		Doves, White-Winged				20
		Ducks, Gadwall				29
		Ducks, Northern Shoveler				1,089
		Ducks, Teal, Blue-Winged				405
		Ducks, Teal, Green-Winged				50
		Ducks, Wigeon, American				15
		Falcons, American Kestrels				104
		Flycatchers, Scissor-Tailed				35
		Geese, Canada				42
		Grackles, Boat-Tailed				20
		Grackles, Great-Tailed				30
		Hawks, Ferruginous				1
		Hawks, Harrier, Northern (Marsh Hawks)				3
		Hawks, Red-Tailed				5
		Hawks, Swainson`s				94
		Herons, Great Blue				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2014**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Killdeers				21
		Larks, Horned				295
		Meadowlarks, Eastern				62
		Meadowlarks, Western				970
		Sandpipers, Upland				21
		Starlings, European				20
		Vultures, Black				2
		Vultures, Turkey				12
<b>Zinc Phosphide Conc. (Rodents/Lago.)</b>						
	<b>Intentional</b>					
		Rats, Black (Roof)	18			
		<b>Total Take for TX</b>	<b>307,963</b>	<b>54</b>	<b>275</b>	<b>282,093</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*