

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	<b>Intentional</b>	<b>Geese, Canada</b>	23			
<b>Avitrol:-4 Mixed Grains</b>	<b>Intentional</b>	<b>Sparrows, House/English</b>	2			10
		<b>Starlings, European</b>	35			550
<b>Catch Pole</b>	<b>Intentional</b>	<b>Dogs, Feral, Free-Ranging And Hybrids</b>			3	
		<b>Nutrias</b>	3			
<b>Drc-1339-Feedlots</b>	<b>Intentional</b>	<b>Starlings, European</b>	2,339			
<b>Effigy, Crow</b>	<b>Intentional</b>	<b>Crows, American</b>				27
<b>Effigy, Gull</b>	<b>Intentional</b>	<b>Gulls, Herring</b>				40
		<b>Gulls, Laughing</b>				145
		<b>Gulls, Ring-Billed</b>				100

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Effigy, Vulture</b>						
	<b>Intentional</b>					
		Vultures, Black				199
		Vultures, Turkey				141
<b>Electronic Harassment Devices (Other</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				40
		Crows, American				2
		Deer, White-Tailed (Wild)				15
		Doves, Mourning				2
		Ducks, Mallards				18
		Eagles, Bald				8
		Falcons, American Kestrels				3
		Geese, Canada				27
		Gulls, Ring-Billed				80
		Hawks, Red-Tailed				6
		Hérons, Great Blue				1
		Killdeers				10
		Ospreys				7
		Sanderlings				300

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	Starlings, European				310
		Swallows, Barn				152
		Terns, Caspian				2
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)				1,000
		Crows, American				15
		Deer, White-Tailed (Wild)				5
		Doves, Mourning				7
		Eagles, Bald				6
		Falcons, American Kestrels				8
		Geese, Canada				27
		Gulls, Black-Backed, Great				30
		Gulls, Herring				350
		Gulls, Laughing				220
		Gulls, Ring-Billed				163
		Hawks, Harrier, Northern (Marsh Hawks)				25
		Hawks, Red-Tailed				28
		Hérons, Great Blue				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Meadowlarks, Eastern				86
		Pigeons, Feral (Rock)				12
		Plovers, Black-Bellied				9
		Sanderlings				1,000
		Starlings, European				2,146
		Swallows, Barn				400
<b>Firearms</b>						
	<b>Intentional</b>					
		Bears, Black	1			
		Beavers	62			
		Blackbirds, (Mixed Species)				950
		Blackbirds, Red-Winged	178			836
		Bobolinks	2			64
		Cormorants, Double-Crested	253			7,294
		Cowbirds, Brown-Headed	614			6,173
		Coyotes	32			
		Crows, American	277			2,364
		Crows, Fish	13			142
		Deer, White-Tailed (Wild)	108			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Doves, Mourning	1,145			5,933
		Ducks, American Black	1			7
		Ducks, Gadwall	6			113
		Ducks, Mallards	197			193
		Ducks, Merganser Common	6			31
		Ducks, Merganser, Hooded	26			370
		Ducks, Ring-Necked	6			107
		Ducks, Scaup, Lesser	2			
		Ducks, Wood	4			14
		Eagles, Bald				3
		Egrets, Cattle	1			
		Egrets, Great	17			18
		Falcons, American Kestrels	125			388
		Foxes, Gray	11			
		Foxes, Red	50			
		Geese, Canada	815			4,029
		Grackles, Common	61			7,206
		Grebes, Pied-Billed	17			5

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Gulls, Black-Backed, Great	16			426
		Gulls, Herring	213			7,869
		Gulls, Laughing	1,276			54,204
		Gulls, Ring-Billed	542			89,195
		Hawks, Cooper`s	2			1
		Hawks, Harrier, Northern (Marsh Hawks)	67			93
		Hawks, Red-Shouldered	17			7
		Hawks, Red-Tailed	104			95
		Hawks, Sharp-Shinned	2			1
		Hérons, Great Blue	63			50
		Hérons, Green	6			2
		Killdeers	192			351
		Kingbirds, Eastern	1			
		Larks, Horned	29			80
		Marmots/Woodchucks (All)	37			
		Meadowlarks, Eastern	52			454
		Mockingbirds, Northern	1			1
		Muskrats	6			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Nutrias	3			
		Opossums, Virginia	9			
		Ospreys	45			45
		Owls, Short-Eared	10			8
		Pigeons, Feral (Rock)	328			899
		Rabbits, Cottontail	40			
		Raccoons	46			
		Ravens, Common	1			
		Robins, American	33			420
		Skunks, Striped	5			
		Snipes, Wilson`s	1			1
		Sparrows, House/English	7			
		Starlings, European	3,868			108,629
		Swallows, Barn	176			1,016
		Swallows, Tree	29			200
		Swans, Tundra	1			7
	Swine, Feral	3				
	Terns, Caspian	16			12	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Turkeys, Wild	13			11
		Vultures, Black	106			1,191
		Vultures, Turkey	106			648
		Willetts	1			
	<b>Unintentional</b>					
		Ducks, Northern Shoveler				10
		Ducks, Ring-Necked				33
		Pelicans, Brown				14
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All) (Burrow/De		118		
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		1		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Eagles, Bald			1	
		Geese, Canada	11			
		Grackles, Common	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Muskrats	1			
		Raccoons	3			
		Starlings, European	3			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Geese, Canada				440
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		Coyotes	209			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Gray	1			
		Foxes, Red	32			
	<b>Unintentional</b>					
		Eagles, Golden	1			
		Foxes, Gray	11			
		Foxes, Red	17			
		Opossums, Virginia	4			
		Raccoons	3			
<b>Paint Balls</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Doves, Mourning				100
		Ducks, Mallards				304
		Eagles, Bald				3
		Geese, Canada				2,747
		Gulls, Laughing				1,500
		Gulls, Ring-Billed				20
		Hawks, Red-Tailed				1
		Hérons, Great Blue				5
		Ospreys				8
		Owls, Snowy				5
		Vultures, Black				325
		Vultures, Turkey				119
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Geese, Canada				56
		Owls, Snowy				1
		Pigeons, Feral (Rock)				11
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Birds, Unidentifiable				58
		Blackbirds, (Mixed Species)				1,550
		Blackbirds, Red-Winged				118
		Cormorants, Double-Crested				1,692
		Cowbirds, Brown-Headed				2,061
		Coyotes				1
		Crows, American				50,666
		Crows, Fish				148
		Doves, Mourning				2,334
		Ducks, American Black				77
		Ducks, Mallards				395
		Ducks, Merganser, Hooded				9
		Ducks, Redhead				445
		Ducks, Scaup, Lesser				2,958
		Ducks, Teal, Green-Winged				50
		Ducks, Wood				9
		Dunlins				128
		Eagles, Bald				841

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Egrets, Cattle				42
		Egrets, Great				54
		Falcons, American Kestrels				54
		Falcons, Merlin				1
		Falcons, Peregrine				3
		Geese, Canada				14,233
		Geese, Snow, Greater				14,125
		Grackles, Common				5,061
		Gulls, Black-Backed, Great				781
		Gulls, Bonaparte`s				12
		Gulls, Herring				212,343
		Gulls, Laughing				2,164,376
		Gulls, Ring-Billed				4,718,231
		Hawks, Harrier, Northern (Marsh Hawks)				79
		Hawks, Red-Shouldered				13
		Hawks, Red-Tailed				279
		Herons, Great Blue				50
		Herons, Green				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ibises, Glossy				107
		Ibises, White				67
		Killdeers				271
		Larks, Horned				20
		Meadowlarks, Eastern				248
		Ospreys				310
		Owls, Great Horned				1
		Owls, Short-Eared				11
		Owls, Snowy				41
		Pigeons, Feral (Rock)				6,095
		Plovers, Black-Bellied				27
		Plovers, Semipalmated				27
		Ravens, Common				13
		Robins, American				76
		Sanderlings				2,370
		Sandpipers, Upland				2
		Skimmers, Black				500
		Snipes, Wilson`s				44

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Starlings, European				768,796
		Swallows, Barn				1,825
		Swallows, Tree				45
		Terns, Caspian				315
		Terns, Common				1
		Terns, Royal				37
		Turkeys, Wild				97
		Vultures, Black				43,571
		Vultures, Turkey				17,808
		Yellowlegs, Greater				204
		Yellowlegs, Lesser				25
	<b>Unintentional</b>					
		Flickers, Northern				5
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	7			
		Coyotes	109			
		Dogs, Feral, Free-Ranging And Hybrids	1		5	
		Foxes, Red	41			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>					
		Raccoons	22			
	<b>Unintentional</b>					
		Bobcats	1			
		Deer, White-Tailed (Wild)	5		1	
		Dogs, Feral, Free-Ranging And Hybrids	2		2	
		Ducks, American Black			1	
		Foxes, Red	1			
		Marmots/Woodchucks (All)	1			
		Opossums, Virginia	3			
		Otters, River	1			
		Rabbits, Cottontail	7		3	
		Raccoons	6		1	
		Skunks, Striped	3			
		Turtles, Common Snapping				1
<b>Traps, Body Grip</b>	<b>Intentional</b>					
		Beavers	216			
		Marmots/Woodchucks (All)	52			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Muskrats</b>	27			
		<b>Muskrats</b>	3			
	<b>Unintentional</b>	<b>Otters, River</b>	4			
		<b>Turtles, Common Snapping</b>	2		21	
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Bobcats</b>	1			
		<b>Cats, Feral/Free Ranging</b>			15	
		<b>Foxes, Gray</b>			3	
		<b>Foxes, Red</b>	1			
		<b>Gulls, Black-Backed, Great</b>	7			
		<b>Gulls, Herring</b>	11			
		<b>Marmots/Woodchucks (All)</b>	3			
		<b>Minks</b>				1
		<b>Opossums, Virginia</b>	7			
		<b>Otters, River</b>				1
		<b>Raccoons</b>	54			579
		<b>Skunks, Striped</b>	4			7

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Traps, Cage</b>	<b>Intentional</b>	Vultures, Black	233					
	<b>Unintentional</b>	Cats, Feral/Free Ranging				8		
		Crows, American				1		
		Marmots/Woodchucks (All)				31		
		Minks				1		
		Opossums, Virginia	1			169		
		Rabbits, Cottontail				2		
		Turtles (Other)				1		
		<b>Traps, Decoy</b>	<b>Intentional</b>	Cowbirds, Brown-Headed	84			
				Doves, Mourning	121			
Grackles, Common	23							
Pigeons, Feral (Rock)	1,564							
Sparrows, House/English	127							
Starlings, European	678							
Swallows, Tree	4							
<b>Unintentional</b>								

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Unintentional</b>	Bluebirds, Eastern			15	
		Crows, American			1	
		Doves, Mourning	1		1	
		Falcons, American Kestrels	1			
		Grackles, Common	2		15	
		Hawks, Cooper`s	1			
		Swallows, Tree	2		11	
		<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	1,326	
Geese, Feral	1					
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	7			
		Coyotes	41			
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Foxes, Gray	9			
		Foxes, Red	21			
		Marmots/Woodchucks (All)	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Opossums, Virginia	12			
		Rabbits, Cottontail	1			
		Raccoons	35			
	<b>Unintentional</b>					
		Bobcats	1		1	
		Cats, Feral/Free Ranging			1	
		Foxes, Red	1			
		Opossums, Virginia	5		4	
		Raccoons	7		7	
		Skunks, Striped	2			
		Squirrels, Eastern Gray	1			
		Turkeys, Wild	2			
<b>Traps, Foothold (Padded)</b>						
	<b>Intentional</b>					
		Bobcats	1			
		Coyotes	23			
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Foxes, Red	1			
		Opossums, Virginia	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Raccoons	63		18		
		Skunks, Striped			1		
	<b>Unintentional</b>	Cats, Feral/Free Ranging				1	
		Foxes, Gray	1				
		Foxes, Red	2			1	
		Opossums, Virginia				37	
		Raccoons	2				
<b>Traps, Live, Feral Hogs</b>	<b>Intentional</b>	Swine, Feral	15				
<b>Traps, Other</b>	<b>Intentional</b>	Opossums, Virginia	10				
		Raccoons	100				
		Starlings, European	140				
<b>Traps, Pole</b>	<b>Intentional</b>	Falcons, American Kestrels	11		7		
		Hawks, Red-Shouldered	1		4		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Pole</b>	<b>Intentional</b>	Hawks, Red-Tailed	2			
		<b>Unintentional</b>				
		Crows, American	2			
		Meadowlarks, Eastern	5			
<b>Traps, Raptor (Swedish Goshawk)</b>	<b>Intentional</b>	Falcons, American Kestrels	2			
		Hawks, Cooper`s	1			
		Hawks, Red-Shouldered			6	
		Hawks, Red-Tailed	19		9	
		Hawks, Sharp-Shinned	1			
		Owls, Great Horned			2	
<b>Vehicles (All)</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)				750
		Cats, Feral/Free Ranging				2
		Cormorants, Double-Crested				35
		Cowbirds, Brown-Headed				200
		Coyotes				8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Crows, American				212
		Deer, White-Tailed (Wild)				3
		Doves, Mourning				796
		Ducks, American Black				2
		Ducks, Mallards				74
		Ducks, Wood				5
		Eagles, Bald				29
		Egrets, Great				9
		Falcons, American Kestrels				61
		Geese, Canada				1,186
		Grackles, Common				1
		Gulls, Black-Backed, Great				11
		Gulls, Herring				43
		Gulls, Laughing				231
		Gulls, Ring-Billed				246
		Hawks, Broad-Winged				1
		Hawks, Harrier, Northern (Marsh Hawks)				145
		Hawks, Red-Shouldered				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed				229
		Hérons, Great Blue				18
		Killdeers				229
		Kingbirds, Eastern				2
		Meadowlarks, Eastern				246
		Ospreys				9
		Owls, Snowy				7
		Pigeons, Feral (Rock)				147
		Plovers, Black-Bellied				64
		Ravens, Common				3
		Sanderlings				5,680
		Starlings, European				3,847
		Swallows, Barn				1,077
		Turkeys, Wild				4
		Vultures, Black				29
		Vultures, Turkey				15
		Willetts				1
		Yellowlegs, Greater				40

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

***Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2014***

<b><i>Capture / Restraint Method ^</i></b>	<b><i>Intentional / Unintentional</i></b>	<b><i>Species</i></b>	<b><i>Killed / Euthanized</i></b>	<b><i>Removed/ Destroyed</i></b>	<b><i>Freed / Released / Relocated</i></b>	<b><i>Dispersed</i></b>
		<b><i>Total Take for VA</i></b>	<b>19,530</b>	<b>119</b>	<b>1,003</b>	<b>8,367,527</b>

***^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.***