

National Veterinary Services Laboratories

Reagent Manual

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
African Swine Fever (ASFV) Cell Culture Supernatant	ASF-SUP	1.8 mL	Varies	Yes	\$143.00	ASFV Cell Culture Supernatant for Molecular Assay Testing/Development. Vero adapted ASFV strain Lisbon 60 was inactivated by gamma irradiation. For experimental use.
African Swine Fever (ASFV) Whole Blood Panel	ASF-PNL	1.5 mL	Varies	Yes	\$774.00	ASFV panel for Molecular Assay Testing/Development. Vero Adapted ASFV strain Lisbon 60 was diluted in TBTB media to create a panel of 24 samples consisting of both ASFV positive and negative samples. ASFV positive samples within the panel have been confirmed to generate a range of Ct values utilizing qPCR. ASFV was inactivated by gamma irradiation. For experimental use.
Anaplasma marginale enzyme-linked immunosorbent assay (ELISA) proficiency test	ANP-CHK	Varies	Varies	Yes	\$774.00	A panel of serum samples is used to monitor proficiency of laboratory personnel.
Anaplasma marginale stabilate, Virginia strain	141-STB	4.5 mL	1	Yes	\$404.00	Virginia strain, stabilate is used to initiate infection in donor animals
Anaplasma ovis stabilate ovine origin, Idaho strain	141-SOV	4.5 mL	1	Yes	\$404.00	Idaho strain - stabilate is used to initiate infection in donor animals
Anaplasmosis card test, complement fixation (CF), and competitive enzyme-linked immunoabsorbent assay (cELISA) negative control serum	146-N	1.0 mL	35	Yes	\$43.00	Reference control serum for the Anaplasmosis card test, CF, and cELISA
Anaplasmosis competitive enzyme-linked immunoabsorbent assay (cELISA) high positive control serum	149-H	1.0 mL		Yes	\$146.00	Reference control serum for the Anaplasmosis cELISA

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 1 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Anaplasmosis competitive enzyme-linked immunoabsorbent assay (cELISA) medium positive control serum	149-M	1.0 mL	400	Yes	\$146.00	Reference control serum for the Anaplasmosis cELISA
Anaplasmosis competitive enzyme-linked immunoabsorbent assay (cELISA) negative control serum	149-N	1.0 mL		Yes	\$43.00	Reference control serum for the Anaplasmosis cELISA
Anaplasmosis competitive enzyme-linked immunoabsorbent assay (cELISA) positive control serum	149-L	2.0 mL		Yes	\$292.00	Reference control serum for the Anaplasmosis cELISA
Anaplasmosis complement fixation (CF) test positive control serum	142-H	1.0 mL	30	Yes	\$146.00	Reference control antiserum for the complement fixation (CF) test
Anaplasmosis complement fixation (CF) test positive control serum	142-L	1.0 mL	30	Yes	\$146.00	Reference control antiserum for the complement fixation (CF) test
Anaplasmosis complement fixation (CF) test positive control serum	142-M	1.0 mL	30	Yes	\$146.00	Reference control antiserum for the complement fixation (CF) test
Avian adenovirus group III (aka Adenovirus 127, Egg Drop Syndrome 1976, Duck Adenovirus - DAdV-1)	004-ADV	0.6 mL		Yes	\$645.00	DAdV-1/chicken/PA/20-005074/2020 Duck Adenovirus 1 (DAdV-1; aka Egg drop 76, adenovirus 127, duck adenovirus)
Avian adenovirus group III (aka Adenovirus 127, Egg Drop Syndrome 1976, Duck Adenovirus) antigen	012-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination-inhibition (HI) test to detect antibodies to adenovirus 127, propagated in duck embryo fibroblast cells (heat-inactivated)
Avian adenovirus group III (aka Adenovirus 127, Egg Drop Syndrome 1976, Duck Adenovirus) antiserum	301-ADV	2.0 mL	Varies	Yes	\$135.00	Use as a positive control serum in the Adenovirus 127 hemagglutination-inhibition (HI) test, prepared in chickens
Avian encephalomyelitis (AE) virus	020-ADV	0.6 mL	1	Yes	\$70.00	Embryo-derived virus propagated in chick embryos

Print Date: 6/11/2026

* No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only

Page 2 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Avian Influenza (AI) H5 Mexican RNA	211-ADV	0.05 mL		*	\$108.00	Positive Amplification Control (PAC) for Type A influenza H5 rRT-PCR Assay. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian influenza (AI) H5 transcribed RNA	202-ADV	0.05 mL	Varies	*	\$108.00	Positive control for AIV H5 subtyping RRT-PCR. Transcribed RNA was prepared with PAMP1 plasmid containing the H5 gene of Avian/NY/31588-3/00. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian influenza (AI) H5N1 serum	AI-SER	0.5 mL	Varies	Yes	\$36.00	Avian Influenza H5N1 serum obtained from experimentally infected cattle or swine. Serum contains antibodies specific to H5N1. Please contact 515-337-7317 to obtain a list of available serum.
Avian influenza (AI) H7 Eurasian RNA	210-ADV	0.05 mL	Varies	*	\$108.00	Avian Influenza (AI) Eurasian H7 & rRT_PCR Positive Control. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian influenza (AI) H7 transcribed RNA	201-ADV	0.05 mL	Varies	*	\$108.00	Positive control for AIV H7 subtyping RRT-PCR. Transcribed RNA was prepared with PAMP1 plasmid containing the H7 gene of CK/NJ/30749-3/00. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian influenza (AI) matrix transcribed RNA	203-ADV	0.05 mL	Varies	*	\$108.00	Positive control for AIV matrix RRT-PCR. Transcribed RNA was prepared with PAMP1 plasmid containing the matrix gene of CK/PA/13522-1/98. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 3 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Avian influenza (AI) RRT PCR extraction control	206-ADV	5.0 mL	10	*	\$350.00	Extraction control for the AI matrix rRT-PCR assay. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions. NOTE: replaces 204-ADV which has been discontinued.
Avian influenza / Newcastle disease virus rRT-PCR negative extraction control	209-ADV	5.0 mL	25	*	\$350.00	Normal amnio-allantoic fluid in tris-buffered tryptose broth used as a negative extraction control for the AI matrix and APMV-1 matrix rRT-PCR assays. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian influenza and Newcastle disease virus proficiency panel for PCR	IND-PCR	1.0 mL	N/A	Yes	\$774.00	Panel of inactivated antigen used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Avian influenza antibody proficiency panel (AGID and ELISA)	AI-CHK	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Avian influenza immunodiffusion (AIID) negative reference serum	905-ADV	0.6 mL	12	*	\$25.80	Use as a negative reference serum in the AIID test for program/surveillance testing
Avian influenza immunodiffusion (AIID) negative reference serum	905-EXP	0.6 mL	12	Yes	\$25.80	Use as a negative reference serum in the AIID test for export purposes
Avian influenza immunodiffusion (AIID) strong positive reference serum	902-ADV	0.6 mL	12	*	\$24.20	Use as a positive reference serum in the AIID test for program/surveillance testing
Avian influenza immunodiffusion (AIID) strong positive reference serum	902-EXP	0.6 mL	12	Yes	\$24.20	Use as a positive reference serum in the AIID test for export purposes

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 4 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Avian influenza immunodiffusion (AIID) weak positive reference serum	903-EXP	0.6 mL	12	Yes	\$24.20	Use as a weak positive reference serum in the AIID test for export purposes
Avian influenza immunodiffusion (AIID) weak positive reference serum	903-ADV	0.6 mL	12	*	\$24.20	Use as a weak positive reference serum in the AIID test for program/surveillance testing
Avian influenza proficiency panel for PCR	AI-PCR	1.0 mL	N/A	Yes	\$774.00	Panel of inactivated antigen used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov. Previously known as AI-RRT effective 8/20/25.
Avian influenza virus immunodiffusion (AIID) antigen	300	2.0 mL	120	*	\$76.00	Use to detect group-specific antibodies to type A influenza viruses--must be ordered and used in matched sets (same lot numbers) with AIID antiserum 305
Avian influenza virus immunodiffusion (AIID) antigen (export version)	300-EXP	2.0 mL	120	Yes	\$76.00	Use to detect group-specific antibodies to type A influenza viruses for export purposes--must be ordered and used in matched sets (same lot numbers) with AIID antiserum 305-EXP
Avian influenza virus immunodiffusion (AIID) antiserum	305	6.0 mL	120	*	\$242.00	Use as a positive control serum with AIID antigen--must be ordered and used in matched sets (same lot numbers) with AIID antigen 300
Avian influenza virus immunodiffusion (AIID) antiserum (export version)	305-EXP	6.0 mL	120	Yes	\$242.00	Use as a positive control serum with AIID antigen for export purposes--must be ordered and used in matched sets (same lot numbers) with AIID antigen 300-EXP
Avian metapneumovirus (aMPV) RNA panel – subtypes A, B, C	AMP-PAC	0.05 mL		Yes	\$324.00	Positive Control for aMPV subtype RRT-PCR. Panel contains one vial each of avian metapneumovirus subtype A (UK strain), subtype B (Hungary strain), and subtype C (Colorado strain) RNA. Contact NVSL.DVL.Comm@usda.gov for questions.

Print Date: 6/11/2026

* No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only

Page 5 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Avian paramyxovirus serotype 10 antiserum	486-ADV	2.0 mL		Yes	\$135.00	APMV-10 Penguin/Falkland Island/08-000600/2008, antiserum
Avian paramyxovirus type 1 rRT-PCR extraction control	207-ADV	5.0 mL	10	*	\$350.00	Extraction control for the APMV-1 matrix rRT-PCR assay. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Avian paramyxovirus type 2 antigen	071-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination and hemagglutination-inhibition (HI) test. Beta-propiolactone inactivated (P/Ck/CA/Yucaipa/56 strain)
Avian paramyxovirus type 2 antiserum	471-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against P/Ck/CA/Yucaipa/56 strain
Avian paramyxovirus type 3 antigen	073-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination and hemagglutination-inhibition (HI) test. Beta-propiolactone inactivated (P/Turkey/Wisconsin/68 strain)
Avian paramyxovirus type 3 antiserum	473-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against P/Turkey/Wisconsin/68 strain
Avian paramyxovirus type 4 antigen	144-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination and hemagglutination-inhibition (HI) test. Beta-propiolactone inactivated (DK/H.K./D3/75 strain)
Avian paramyxovirus type 6 antigen	146-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination and hemagglutination-inhibition (HI) test. Beta-propiolactone inactivated (DK/H.K./199/75 strain)
Avian paramyxovirus type 7 antigen	147-ADV	2.0 mL	Varies	Yes	\$140.00	Use in the hemagglutination and hemagglutination-inhibition (HI) test. Beta-propiolactone inactivated (Dove/TN/4/75 strain)
Avian paramyxovirus type 8 antigen	148-ADV	2.0 mL	N/A	Yes	\$140.00	APMV-8, Goose/DE/1053/76, beta-propiolactone inactivated
Avian paramyxovirus type 8 antiserum	483-ADV	2.0 mL	N/A	Yes	\$135.00	Antiserum, APMV-8, Goose/DE/1053/76

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 6 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Avian paramyxovirus type 9 antigen	149-ADV	2.0 mL	N/A	Yes	\$140.00	APMV-9, DK/NY/22/78, beta-propiolactone inactivated
Avian reovirus	080-ADV	0.6 mL	1	Yes	\$70.00	Cell culture virus (Fahey-Crawley strain) propagated in chicken embryo kidney cells
Avian reovirus antiserum	380-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against Fahey-Crawley strain
Avian reovirus fluorescent antibody (FA) conjugate	680-ADV	1.0 mL	Varies	Yes	\$167.00	Use to detect avian reovirus antigen in infected cell cultures or tissues by FA techniques (Fahey-Crawley strain)
Babesia caballi ELISA and western blot positive control sera	77-ELW	1.0 mL		Yes	\$334.00	Babesia caballi ELISA and western blot positive control sera
Babesia caballi positive control serum (high titer)	77-H	1.0 mL	40	Yes	\$334.00	High titer positive control serum used in serologic tests to detect antibodies to babesia caballi
Babesia caballi positive control serum (low titer)	77-L	1.0 mL	40	Yes	\$334.00	Low titer positive control serum used in serologic tests to detect antibodies to babesia caballi
Bacillus anthracis Gamma phage	BAN-001	1.0 mL		Yes	\$178.75	Gamma bacteriophage for diagnosis of Bacillus anthracis
Bacteriology Internal Quality Assurance Survey Kit	CHK-CUL	N/A	N/A	Yes	\$387.00	Internal Bacteriology Quality Assurance Survey
Bluetongue antibody negative OIE reference serum	906-ODV	2.0 mL	Varies	Yes	\$280.00	Bovine origin, Enzyme-linked immunosorbent assay (ELISA) control serum (OIE). Agar gel immunodiffusion (AGID) control serum (OIE). Available for international shipments only.
Bluetongue antibody proficiency panel (AGID and ELISA)	BT-CHK	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel. Required for laboratories seeking to test live animals in the US for export to certain countries; for questions NVSL.DVL.Teamleads@usda.gov.
Bluetongue negative serum	901-ODV	2.0 mL		Yes	\$86.00	Bluetongue negative antiserum

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 7 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Bluetongue virus (OIE) strong positive reference serum (ELISA, AGID) - International orders only	904-ODV	2.0 mL	Varies	Yes	\$280.00	Bovine origin, Enzyme-linked immunosorbent assay (ELISA) control serum (OIE). Agar gel immunodiffusion (AGID) control serum (OIE). Available for international shipments only.
Bluetongue virus (OIE) weak positive reference serum (ELISA, AGID) - International orders only	905-ODV	2.0 mL	Varies	Yes	\$280.00	Bovine origin, Enzyme-linked immunosorbent assay (ELISA) control serum (OIE). Agar gel immunodiffusion (AGID) control serum (OIE). Available for international shipments only.
Bovine leukosis antibody proficiency panel (AGID and ELISA)	BLV-CHK	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel. Required for laboratories seeking to test live animals in the US for export to certain countries; for questions NVSL.DVL.Teamleads@usda.gov.
Bovine papular stomatitis virus	080-BDV	0.6 mL	1	Yes	\$70.00	Field isolate--Texas A&M, 1976
Bovine respiratory syncytial virus fluorescent antibody conjugate	710-BDV	1.0 mL	Varies	Yes	\$167.00	Bovine source
Bovine rotavirus fluorescent antibody conjugate	730-BDV	1.0 mL	Varies	Yes	\$167.00	Bovine source
Brucella abortus control serum	12-	1.0 mL		Yes	\$146.00	Control Serum used for Brucellosis serological tests. Contact VS.DB.NVSL.DBRL.Reagents@usda.gov for a current list of positive and negative diagnostic controls.
Brucella abortus control serum - Brucella abortus complement fixation (CF) high positive control serum	12H-CDC	2.0 mL	Varies	Yes	\$292.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems. For use by the Centers for Disease Control.
Brucella abortus control serum - Brucella abortus complement fixation (CF) high positive control serum	12-H	2.0 mL	Varies	*	\$292.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 8 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Brucella abortus control serum - Brucella abortus complement fixation (CF) low positive control serum	12L-CDC	2.0 mL	Varies	Yes	\$292.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems. For use by the Centers for Disease Control.
Brucella abortus control serum - Brucella abortus complement fixation (CF) low positive control serum	12-L	2.0 mL	Varies	*	\$292.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems
Brucella abortus control serum - Brucella abortus complement fixation (CF) negative control serum	12-N	2.0 mL	Varies	*	\$86.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems
Brucella abortus control serum - Brucella abortus complement fixation (CF) negative control serum	12N-CDC	2.0 mL	Varies	Yes	\$86.00	Serum is used in the Brucella abortus complement fixation (CF) test to monitor the functioning of test systems. For use by the Centers for Disease Control.
Brucella abortus RB51	19	N/A	N/A	Yes	\$645.00	Culture used for the production of Brucella abortus RB51 vaccine
Brucella antigen - Brucella abortus card test antigen, buffered Brucella antigen (BBA), or Rose Bengal (RB) antigen	10-S	60.0 mL	2000	*	\$350.00	Antigen is used in the card test
Brucella antigen - Brucella abortus card test antigen, buffered Brucella antigen--(BBA), or Rose Bengal (RB) antigen	150-AMP	18.0 mL	500	*	\$100.20	Antigen is used with the brucellosis card test kit (150-KIT)
Brucella antigen - Brucella abortus complement fixation (CF) test antigen and standard tube test (STT) antigen	3	60.0 mL	1500	*	\$350.00	Antigen used for the Brucella standard tube test (STT) and complement fixation (CF) test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 9 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Brucella antigen - Brucella abortus ring test antigen (BRT)	5-30	30.0 mL	250	*	\$264.00	Antigen used in the Brucellosis milk ring test
Brucella antigen - Brucella abortus ring test antigen (BRT) (HIRT)	5	60.0 mL	500	*	\$527.00	Antigen used in the Brucellosis milk ring test
Brucella antigen - Brucella abortus standard plate antigen (SPT)	1	60.0 mL	500	*	\$350.00	Antigen used in the standard plate test (SPT)
Brucella antigen - Brucella abortus tube antigen	3-CDC	3.0 mL		Yes	\$16.70	Antigen is also used for the Brucella tube test complement fixation (CF) test. For use by the Centers for Disease Control.
Brucella antigen - Brucella canis 2-ME tube agglutination antigen	17	25.0 mL	500	Yes	\$264.00	Antigen used for the Brucella canis 2-Mercaptoethanol (ME) tube agglutination test
Brucella antigen - Brucella ovis enzyme-linked immunosorbent assay (ELISA) antigen	9-ELA	2.0 mL	Varies	Yes	\$167.00	Antigen used in the Brucella ovis enzyme-linked immunosorbent assay (ELISA)
Brucella antigen - Brucellosis card test kit without antigen	150-KIT	500	500	*	\$248.00	Kit contains cards, capillary tubes, stirrers, & antigen droppers, use 150-KIT with card test antigen (150-AMP). Only small quantities for research & investigational studies are shipped from the NVSL. Eradication program needs are met through warehouse requests.
Brucella antigen - buffered Brucella antigen	10-G	60.0 mL	2000	*	\$334.00	3% cell concentration for testing small ruminants on the brucella card test
Brucella antigen - buffered Brucella antigen	10-G10	10.0 mL	330	*	\$55.67	Buffered Brucella (BBA) and rapid automated presumptive (RAP) antigen - 3% cell concentration for testing small ruminants on the brucella card test
Brucella antigen - buffered Brucella plate antigen (BAPA test)	2	60.0 mL	200	*	\$404.00	Antigen used in the buffered Brucella acidified plate antigen (BAPA test)

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 10 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Brucella control serum - Brucella canis high titer positive control serum	212-H	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Brucella canis 2-ME tube agglutination test to monitor the functioning of the test system
Brucella control serum - Brucella canis negative control serum	212-N	1.0 mL	Varies	Yes	\$43.00	Serum is used in the Brucella canis 2-ME tube agglutination test to monitor the functioning of the test system
Brucella control serum - Brucella ovis enzyme-linked immunosorbent assay (ELISA) high positive control serum	9-HP	1.0 mL	Varies	Yes	\$146.00	Serum is used as a high positive control in the Brucella ovis enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of the test system
Brucella control serum - Brucella ovis enzyme-linked immunosorbent assay (ELISA) low positive control	9-LP	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Brucella ovis enzyme-linked immunosorbent assay (ELISA) to monitor the functioning of test systems
Brucella control serum - Brucella ovis enzyme-linked immunosorbent assay (ELISA) negative control serum	9-N	1.0 mL	Varies	Yes	\$43.00	Serum is used as a negative control in the Brucella ovis enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of the test system
Brucella control serum - Brucella ovis hill's complement fixation (CF) high positive control serum	412-H	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Brucella ovis complement fixation (CF) test to monitor the functioning of test systems.
Brucella control serum - Brucella ovis hill's complement fixation (CF) low positive control serum	412-L	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Brucella ovis complement fixation (CF) test to monitor the functioning of test systems (4+10).
Brucella control serum - Brucella ovis hill's complement fixation (CF) medium positive control serum	412-M	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Brucella ovis complement fixation (CF) test to monitor the functioning of test systems (4 + 20).
Brucella control serum - Brucella ovis hill's complement fixation (CF) negative control serum	412-N	1.0 mL	250	Yes	\$43.00	Serum is used in the Brucella ovis complement fixation (CF) test to monitor the functioning of test systems.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 11 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Brucella control serum - Brucella suis positive control serum	712	1.0 mL	Varies	Yes	\$146.00	Serum is used to monitor the functioning of test systems when using Brucella abortus serologic tests to diagnose swine brucellosis.
Brucella control serum - Brucella suis, negative control serum	712-N	1.0 mL	Varies	Yes	\$43.00	Swine brucellosis negative control serum
Brucella culture - Brucella abortus strain 1119-3 original seed	16	1.0 mL	N/A	Yes	\$645.00	Culture used for the production of Brucella abortus antigens
Brucella culture - Brucella abortus strain 19 original seed	15	1.0 mL	N/A	Yes	\$645.00	Culture used for the production of Brucella abortus strain 19 vaccine
Brucella isolate - multiple species available	BRU-NS	1.0 mL	N/A	Yes	\$645.00	Brucella isolates, various species available. Sent as live cultures in glycerol. Call (515) 337-7526 for availability
Brucella killed cells suspended in saline or phenol saline	18	5.0 mL	N/A	Yes	\$41.00	B. abortus Strain 1119-3, Brucella killed cells suspended in saline or phenol saline
Brucella phage Fi	BP-FI	1.0 mL	N/A	Yes	\$645.00	Host strain = B. abortus strain 19
Brucella phage R/C	BP-RC	1.0 mL	N/A	Yes	\$645.00	Host strain = B. canis strain RM6/66
Brucella phage tbilisi	BP-TB	1.0 mL	N/A	Yes	\$645.00	Also known as TB, host strains = B. abortus strains 544 and 19, ATCC 23448-B1
Brucella phage Wb	BP-WB	1.0 mL	N/A	Yes	\$645.00	Host strains = B. abortus strain 19 and B. suis strain 1330
Brucella proficiency test - Brucella abortus check test serum	512	Varies	Varies	*	\$774.00	A panel of serum samples is used to monitor proficiency of laboratory personnel conducting serologic tests. Check tests are only distributed for official proficiency test purposes.
Brucella species cells, non-viable	BRU-NV	Varies	N/A	Yes	\$143.00	Brucella species cells, non-viable. Various species available. Call (515) 337-7526 for availability
Brucella species DNA	BRU-DNA	Varies	N/A	Yes	\$178.75	Brucella species DNA. Various species available. Call (515) 337-7526 for availability

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 12 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Brucellosis card test replacement cards	150-CRD	50/package	500	*	\$43.00	Replacement cards
Canine influenza virus H3N2	004-IDV	0.6 mL	N/A	Yes	\$645.00	A/canine/Illinois/12191/2015(H3N2)
Cell line - Bovine turbinate primary cells	016-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Dog kidney primary (DKP)	005-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Embryonic bovine kidney primary (EBK)	008-TDV	3.0 mL	N/A	Yes	\$683.00	Low passage from primary
Cell line - Embryonic bovine lung primary (EBL)	002-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Embryonic equine kidney primary (EEK)	014-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Equine dermis primary (EQDER)	003-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Kitten kidney primary (KKP)	010-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Porcine kidney (Circovirus Free) PK-15N	006-TDV	3.0 mL	N/A	Yes	\$683.00	
Cell line - Rabbit kidney, clone 13 - BVD free	004-TDV	3.0 mL	N/A	Yes	\$683.00	RK-13B, BVD free cells 1 frozen ampule at a time
Cell line - SV-40 Hamster kidney (SV40)	012-TDV	3.0 mL	N/A	Yes	\$683.00	SV-40 virus transformed hamster kidney (SV40)
Cell line - Swine kidney primary (SKP)	013-TDV	3.0 mL	N/A	Yes	\$683.00	
Chronic wasting disease immunohistochemistry control block	CWS-CB			*	N/A	Positive chronic wasting disease and/or scrapie brain and lymph tissue and Not Detected brain in a paraffin block, used for IHC scrapie and CWD controls, includes a stained slide; appropriate permit(s) required.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 13 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Classical Swine Fever (CSF) serum panels	CSF-POS	1.0 mL	Varies	Yes	\$726.00	Panel consists of sera obtained from 6 CSFV C strain vaccinated swine with a positive antibody response to the CSF ELISA. Contact 515-337-7317 for more information.
Classical Swine Fever (CSF) serum panels	CSF-NEG	1.0 mL	Varies	Yes	\$602.00	Panel consists of sera obtained from 14 swine with no antibody responses to CSF. Contact 515-337-7317 for more information.
Contagious equine metritis (CEM) Amies transport medium with charcoal	CEM-001	1 swab	1	Yes	\$1.25	For transportation of equine swabs to NVSL for CEM culture. Must be refrigerated during shipment.
Contagious equine metritis (CEM) high titer control serum	79-H	5.0 mL	N/A	Yes	\$730.00	CEM high positive control serum
Contagious equine metritis (CEM) plates - Eugon Agar w/10% chocolate horse blood	CEM-332			Yes		Available commercially. Contact laboratory with questions (515) 337-7526.
Contagious equine metritis (CEM) plates - Selective inhibitors/modified Timoney Shin	CEM-331			Yes		Available commercially. Contact laboratory with questions (515) 337-7526.
Contagious equine metritis (CEM) proficiency test panel	CEM-CHK	N/A	N/A	Yes	\$774.00	Proficiency test for Contagious Equine Metritis (CEM). Conducted yearly, contact laboratory at (515) 337-7526.
Contagious equine metritis (CEM) small tipped swabs - includes Amies transport media	CEM-002	1 swab	1	Yes	\$1.25	For transportation of equine swabs to NVSL for CEM culture. Inoculated swabs must be refrigerated during shipment.
Contagious equine metritis (CEM) uterine swab - includes Amies transport media	CEM-003	1 swab	1	Yes	\$6.25	For transportation of equine swabs to NVSL for CEM culture. Inoculated swabs must be refrigerated during shipment.
Dourine (Trypanosoma equiperdum) complement fixation test (CF) antigen	160	1.0 mL	50	Yes	\$597.00	Antigen is used in the complement fixation (CF) test for detection of antibodies to Trypanosoma equiperdum.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 14 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Dourine low positive control serum	161-L	1.0 mL	40	Yes	\$334.00	Low titer positive control serum (titer to 1:20) used in serologic tests to detect antibodies to Trypanosoma equiperdum
Dourine positive control serum	161-H	1.0 mL	40	Yes	\$334.00	High titer positive control serum used in serologic tests to detect antibodies to Trypanosoma equiperdum
Duck viral enteritis (DVE) fluorescent antibody (FA) conjugate	631-ADV	1.0 mL	Varies	Yes	\$167.00	Use to detect DVE viral antigen in infected cells or tissues by FA techniques (Holland B vaccine strain)
Eperythrozoon wenyoni agar gel immunodiffusion (AGID) enhancement serum	402-M	1.0 mL	30	Yes	\$1,194.00	Enhancement serum for use in the agar gel immunodiffusion (AGID) test for Eperythrozoon wenyoni detection
Eperythrozoon wenyoni complement fixation (CF) test antigen	400-CF	2.0 mL	20	Yes	\$2,388.00	Antigen used in the complement fixation (CF) test to detect antibodies to Eperythrozoon wenyoni
Eperythrozoon wenyoni complement fixation (CF) test high titer serum	402-H	1.0 mL	40	Yes	\$334.00	High titer positive control used in serologic tests to detect antibodies to Eperythrozoon wenyoni
Eperythrozoon wenyoni complement fixation (CF) test low titer serum	402-L	1.0 mL	40	Yes	\$334.00	Low titer positive control used in serologic tests to detect antibodies to Eperythrozoon wenyoni
Epizootic Hemorrhagic Disease (EHD) agar gel immunodiffusion (AGID) antiserum - EHDV Serotype 2	345-ODV	3.0 mL	60	Yes	\$420.00	Use as a positive control serum with Epizootic Hemorrhagic Disease (EHD) AGID virus-must be ordered and used in matched sets (same lot numbers) with virus 045-ODV
Epizootic Hemorrhagic Disease (EHD) agar gel immunodiffusion (AGID) virus - EHDV Serotype 2	045-ODV	1.0 mL	60	Yes	\$116.67	Use to detect antibodies to Epizootic Hemorrhagic Disease (EHD) by the AGID test-must be ordered and used in matched sets (same lot numbers) with antiserum 345-ODV
Epizootic Hemorrhagic Disease (EHD) negative reference serum	145-ODV	2.0	Varies	Yes	\$86.00	Agar gel immunodiffusion control negative serum - bovine origin
Epizootic Hemorrhagic Disease (EHD) weak positive reference serum	945-ODV	2.0 mL	Varies	Yes	\$103.00	Agar gel immunodiffusion control serum - bovine origin

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 15 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Equine infectious anemia (EIA) antibody proficiency panel (AGID and ELISA)	EIA-CHK	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.Coggins@usda.gov.
Equine infectious anemia (EIA) negative serum	905-EDV	2.0 mL	Varies	Yes	\$86.00	Control for the agar gel immunodiffusion (AGID) test
Equine infectious anemia (EIA) operator training kit	EIA-KIT	3.0 mL	Varies	Yes	\$387.00	Kit contains two positive serum samples for EIA operator training purposes. Each sample contains 3.0 ml of lyophilized serum sufficient for up to 50 reactions per NVSL-SOP-0562. ONLY available to APHIS-Approved EIA laboratories or those in process of APHIS-approval with a completed VS 10-17 laboratory inspection. Requires NVSL-FM-2331.
Equine infectious anemia (EIA) strong positive serum	902-EDV	2.0 mL	Varies	Yes	\$103.00	Control for the agar gel immunodiffusion (AGID) test
Equine infectious anemia (EIA) weak positive serum	903-EDV	2.0 mL	Varies	Yes	\$103.00	Control for the agar gel immunodiffusion (AGID) test. Only 5 vials will be approved per order.
Equine negative serum - piroplasmosis, dourine, and glanders	76-N	1.0 mL	40	Yes	\$43.00	Equine serum negative for antibodies to B. equi, B. caballi, T. equiperdum, and B. (Pseudomonas) mallei. Serum is used as negative control in the serologic tests for equine piroplasmosis, dourine and glanders
Equine piroplasmosis cELISA proficiency test	PIR-CHK	N/A	N/A	Yes	\$774.00	Equine piroplasmosis cELISA Proficiency Test. This proficiency test is available only to laboratories currently approved or in the approval process to perform the cELISA for Equine Piroplasmosis.
Equine viral arteritis (EVA) antibody proficiency panel (virus neutralization)	EVA-CHK	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel. Required for laboratories seeking to test live animals in the US for export to certain countries; for questions NVSL.DVL.Teamleads@usda.gov.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 16 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Flazo orange counterstain	29	3.0 mL	Varies	Yes	\$29.00	Counterstain to quench background fluorescence in fluorescent antibody testing
Fowl pox antiserum	461-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against challenge virus FP 73-1. This reagent is no longer being produced; limited availability
Glanders low titer positive control serum, lyophilized	166-L	1.0 mL	40	Yes	\$146.00	Low titer positive control serum used in serologic tests to detect antibodies to Burkholderia mallei
Glanders positive control serum, high titer	166-H	1.0 mL	40	Yes	\$146.00	High titer positive control serum used in serologic tests to detect antibodies to Burkholderia (Pseudomonas) mallei
Goat origin anti-chicken fluorescent antibody (FA) conjugate	291-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with chicken serum
Goat origin anti-chicken horseradish peroxidase-labeled conjugate	291-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with chicken serum
Goat origin anti-guinea pig fluorescent antibody (FA) conjugate	296-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with guinea pig serum
Goat origin anti-mouse fluorescent antibody (FA) conjugate	221-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with mouse serum
Goat origin anti-mouse horseradish peroxidase-labeled conjugate	221-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with mouse serum
Goat origin anti-porcine fluorescent antibody (FA) conjugate	191-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with porcine serum
Goat origin anti-porcine horseradish peroxidase-labeled conjugate	191-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with porcine serum
Goat origin anti-rabbit fluorescent antibody (FA) conjugate	171-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with rabbit serum
Goat origin anti-rabbit horseradish peroxidase-labeled conjugate	171-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with rabbit serum

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 17 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Infectious bronchitis virus	112-ADV	0.6 mL	1	Yes	\$70.00	Virus (Beaudette strain) propagated in chicken embryos
Infectious bursal disease (IBD) antiserum	420-ADV	2.0 mL	Varies	Yes	\$135.00	Use as a positive control serum in the IBD indirect fluorescent antibody (IFA) test
Infectious bursal disease (IBD) virus (cell culture)	120-ADV	0.6 mL	1	Yes	\$70.00	Cell culture virus (Edgar strain) propagated in chicken embryo cells
Infectious bursal disease (IBD) virus (embryo)	124-ADV	0.6 mL	1	Yes	\$70.00	Embryo-adapted chicken embryo-propagated virus, NVSL challenge virus strain
Infectious laryngotracheitis (ILT) fluorescent antibody (FA) conjugate	633-ADV	1.0 mL	Varies	Yes	\$167.00	Use to detect ILT viral antigen in infected cell cultures or tissues by FA techniques. NVSL challenge virus strain LT 83-2.
Infectious laryngotracheitis (ILT) virus	033-ADV	0.6 mL	1	Yes	\$70.00	Cell culture virus (strain Cover) propagated in chick embryo kidney cells
Infectious laryngotracheitis (ILT) virus antiserum	333-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against LT 83-2 strain
Influenza A virus - swine (IAV-S) antiserum H1N1 (CA/2009)	334-IDV	2.0 mL		Yes	\$242.00	A/SW/CA/04/2009 (H1N1) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Influenza A virus - swine (IAV-S) antiserum H1N1 (IL/2005)	329-IDV	2.0 mL		Yes	\$242.00	A/SW/IL/00685/2005 (H1N1) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Influenza A virus - swine (IAV-S) antiserum H1N1 (KY/2008)	333-IDV	2.0 mL		Yes	\$242.00	A/SW/KY/02086/2008 (H1N1) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Influenza A virus - swine (IAV-S) antiserum H1N2 (SD/2013)	335-IDV	2.0 mL		Yes	\$242.00	A/SW/SD/A01349341/2013 (H1N2) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 18 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Influenza A virus - swine (IAV-S) antiserum H3N1 (MO/2014)	330-IDV	2.0 mL		Yes	\$242.00	A/SW/MO/A01410819/2014 (H3N1) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Influenza A virus - swine (IAV-S) antiserum H3N2 (IA/2014)	332-IDV	2.0 mL		Yes	\$242.00	A/SW/IA/A01480656/2014 (H3N2) strain, porcine origin. Use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Influenza A virus - swine (IAV-S) antiserum H3N2 (NY/2011)	331-IDV	2.0 mL		Yes	\$242.00	A/SW/NY/A01104005/2011 (H3N2) strain, porcine origin, use as a positive control serum in the IAV-S hemagglutination inhibition (HI) test.
Johne's Sera	JD-SER	0.5 mL	N/A	Yes	\$73.00	Serum from characterized Johne's disease status animals (call (515) 337-7563 for current list)
Leptospira microscopic agglutination negative control serum	LEP-NEG	2.0 mL	Varies	Yes	\$86.00	Used as a negative control for the Leptospira microscopic agglutination test
Leptospira multivalent fluorescent antibody conjugate, rabbit origin	LEP-FAC	1.0 mL	Varies	Yes	\$108.00	Rabbit origin multivalent fluorescent antibody conjugate (FITC-bound)
Leptospira reference antiserum, rabbit origin, 200+ strains other than those listed for MAT purposes	LEP-ANT	2.0 mL	Varies	Yes	\$269.00	Reference antiserum for Leptospira generally not used in microscopic agglutination testing; contact laboratory regarding serovar/strain availability at (515) 337-7526
Leptospira reference cultures, semi-solid or liquid form, 200+ strains other than those listed	LEP-CUL	6.0/10.0 mL	Varies	Yes	\$242.00	Reference strains of Leptospira generally not used in microscopic agglutination testing; contact laboratory regarding serovar/strain availability at (515) 337-7526
Leptospira reference serovar Australis, strain Ballico, liquid culture	ARL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Australis, strain Ballico, rabbit antiserum	ARA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 19 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Leptospira reference serovar Australis, strain Ballico, semi-solid culture	ARS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Autumnalis, strain Akiyami A, liquid culture	ATL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Autumnalis, strain Akiyami A, rabbit antiserum	ATA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Autumnalis, strain Akiyami A, semi-solid culture	ATS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Ballum, strain S 102, liquid culture	BML-011	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Ballum, strain S 102, rabbit antiserum	BMA-011	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Ballum, strain S 102, semi-solid culture	BMS-011	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Bataviae, strain Van Tienen, liquid culture	BTL-020	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Bataviae, strain Van Tienen, rabbit antiserum	BTA-020	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Bataviae, strain Van Tienen, semi-solid culture	BTS-020	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 20 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Leptospira reference serovar Bratislava, strain Jez Bratislava, liquid culture	ARL-050	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Bratislava, strain Jez Bratislava, rabbit antiserum	ARA-050	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Bratislava, strain Jez Bratislava, semi-solid culture	ARS-050	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Canicola, strain Hond Utrecht IV, liquid culture	CAL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Canicola, strain Hond Utrecht IV, rabbit antiserum	CAA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Canicola, strain Hond Utrecht IV, semi-solid culture	CAS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Copenhageni (Ictero reference), strain M-20, liquid culture	ICL-020	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Copenhageni (Ictero reference), strain M-20, rabbit antiserum	ICA-020	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Copenhageni (Ictero reference), strain M-20, semi-solid culture	ICS-020	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Grippityphosa, strain Andaman, liquid culture	GRL-020	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 21 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Leptospira reference serovar Grippotyphosa, strain Andaman, rabbit antiserum	GRA-020	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Grippotyphosa, strain Andaman, semi-solid culture	GRS-020	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Hardjo, strain Hardjoprajitino, liquid culture	SJL-060	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Hardjo, strain Hardjoprajitino, rabbit antiserum	SJA-060	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Hardjo, strain Hardjoprajitino, semi-solid culture	SJS-060	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Hebdomadis, strain Hebdomadis, liquid culture	HBL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Hebdomadis, strain Hebdomadis, rabbit antiserum	HBA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Hebdomadis, strain Hebdomadis, semi-solid culture	HBS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Pomona, strain Pomona, liquid culture	POL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Pomona, strain Pomona, rabbit antiserum	POA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 22 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Leptospira reference serovar Pomona, strain Pomona, semi-solid culture	POS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Pyrogenes, strain Salinem, liquid culture	PYL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Pyrogenes, strain Salinem, rabbit antiserum	PYA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Pyrogenes, strain Salinem, semi-solid culture	PYS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Sejroe, strain M 84, liquid culture	SJL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Sejroe, strain M 84, rabbit antiserum	SJA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Sejroe, strain M 84, semi-solid culture	SJS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Leptospira reference serovar Szwajizak, strain Szwajizak, liquid culture	MIL-020	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Szwajizak, strain Szwajizak, rabbit antiserum	MIA-020	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Szwajizak, strain Szwajizak, semi-solid culture	MIS-020	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 23 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Leptospira reference serovar Tarassovi, strain Perepelitsin, liquid culture	TAL-010	10.0 mL	Varies	Yes	\$242.00	Liquid culture for use in microscopic agglutination test
Leptospira reference serovar Tarassovi, strain Perepelitsin, rabbit antiserum	TAA-010	2.0 mL	Varies	Yes	\$269.00	Reference control antiserum for microscopic agglutination test
Leptospira reference serovar Tarassovi, strain Perepelitsin, semi-solid culture	TAS-010	6.0 mL	Varies	Yes	\$242.00	Semi-solid culture for stock culture purposes
Low pathogenic avian influenza (LPAI) inactivated antigen, H5N2 Durango	245-ADV	2.0 mL		Yes	\$140.00	A/chicken/Durango/1433-2/2005 (H5N2)
Low pathogenic avian influenza (LPAI) inactivated antigen, H5N2 Guatemala	244-ADV	2.0 mL		Yes	\$140.00	A/chicken/Guatemala/45511-3/2000 (H5N2)
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis - Johne's enzyme-linked immunosorbent assay (ELISA) proficiency test	JEL-CHK	N/A	N/A	Yes	\$774.00	A panel of serum samples is used to monitor proficiency of laboratory personnel
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis - Johne's fecal pooling proficiency kit	JFE-POL	N/A	N/A	Yes	\$774.00	Pooling proficiency panel. 25 - 10mL vials of feces. Conducted yearly, contact laboratory at (515) 337-7526
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis - Johne's fecal proficiency test kit	JFE-CHK	N/A	N/A	Yes	\$774.00	Individual sample proficiency panel. 26 - 10mL vials of feces. Conducted yearly, contact laboratory at (515) 337-7526
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis (Johne's) fecal sample	MAP-NEG	5 samples	1	Yes	\$36.00	Johne's fecal negative controls. Click here for a current list of negative control samples.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 24 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis (Johne's) fecal sample	MAP-POS	5 samples	1	Yes	\$36.00	Johne's fecal positive controls. Click here for a current list of positive control samples.
Mycobacterium - Mycobacterium avium ssp. Paratuberculosis manual	MAP-MAN	N/A	N/A	Yes	\$108.00	Manual titled "Laboratory Methods for Isolation and Identification of Mycobacterium avium spp. Paratuberculosis (Johne's Disease)"
Mycobacterium antigen - Mycobacterium avium purified protein derivative (PPD) (export testing)	30-EXP	2.0 mL	12 - 15	Yes	\$82.00	Product requires 30 days advanced notice when ordering. Purified protein derivative (PPD) avium export (1 mg/mL protein) tuberculin is used to test bovine and other species of animals for relative sensitivity to Mycobacterium avium by the caudal fold or other appropriate methods.
Mycobacterium antigen - mycobacterium bovis purified protein derivative (PPD) (caudal fold test)	131-B10	10.0 mL	75 - 80	*	\$410.00	Use this product for Bovine caudal fold test and Cervid single cervical test. One mg/mL protein tuberculin is used to test bovine and other species of animals for sensitivity to Mycobacterium bovis tuberculoprotein. Replaces reagent code 131-B.
Mycobacterium antigen - mycobacterium bovis purified protein derivative (PPD) (caudal fold test)	131-B5	5.0 mL	35 - 40	*	\$205.00	For caudal fold test. One mg/mL protein tuberculin is used to test bovine and other species of animals for sensitivity to Mycobacterium bovis tuberculoprotein.
Mycobacterium antigen - mycobacterium bovis purified protein derivative (PPD) (caudal fold test)	131-B1	1.0 mL	5 - 6	*	\$41.00	For caudal fold test. One mg/mL protein tuberculin is used to test bovine and other species of animals for sensitivity to Mycobacterium bovis tuberculoprotein.
Mycobacterium antigen - mycobacterium bovis purified protein derivative (PPD) (cervical test)	31-CER	2.0 mL	15 - 17	*	\$82.00	This product is for use by federal/regulatory veterinarians and requires the approval of the Cattle Health Center Specialists. Purified protein derivative (PPD) bovis cervical (2 mg/mL protein) tuberculin is used to test bovine and other species of animals for relative sensitivity to Mycobacterium bovis tuberculoprotein by the cervical method.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 25 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycobacterium antigen - Mycobacterium paratuberculosis (Johne's) complement fixation (CF) antigen	133-CF	3.0 mL	Varies	Yes	\$210.00	The antigen is used in the Johne's complement fixation (CF) test for the serological diagnosis of Mycobacterium paratuberculosis
Mycobacterium antigen - Mycobacterium paratuberculosis (Johnin) purified protein derivative (PPD) tuberculin	134	1.0 mL	10	Yes	\$41.00	Purified protein derivative (PPD) Johnin is used in bovine to determine their relative sensitivity to Mycobacteria paratuberculosis by the caudal fold method
Mycobacterium antigen - purified protein derivative (PPD) avian balanced tuberculin (comparative cervical test)	30-BAL	1.0 mL	5 - 6	*	\$41.00	The ordering and use of the Balanced Tuberculins require approval of the Assistant District Director and are for use by CCT trained federal/regulatory veterinarians only. Used to test bovine and other species of animals for relative sensitivity to Mycobacterium bovis and M. avium tuberculoprotein by the comparative cervical method--contains 0.4 mg protein/mL.
Mycobacterium antigen - purified protein derivative (PPD) bovis balanced tuberculin (comparative cervical test)	31-BAL	1.0 mL	5 - 6	*	\$41.00	The ordering and use of the Balanced Tuberculins require approval of the Assistant District Director and are for use by CCT trained federal/regulatory veterinarians only. Used to test bovine and other species of animals for relative sensitivity to Mycobacterium bovis and M. avium tuberculoprotein by the comparative cervical method--contains 1.0 mg protein/mL.
Mycobacterium bovis direct PCR control, negative, bovine tissue	MBD-NEG	10.0 mL	100	Yes	\$72.00	Ground bovine liver tissue in PBS used as a negative control in direct PCR applications. Validated for use in Mycobacterium tuberculosis complex direct PCR assays. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycobacterium bovis direct PCR control, positive, bovine tissue with BCG	MBD-POS	10.0 mL	100	Yes	\$72.00	Mycobacterium bovis direct PCR positive extraction control. Ground bovine liver tissue in PBS spiked with M. bovis BCG. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.
Mycobacterium bovis direct PCR control, positive, bovine tissue with Mtb H37a	TBD-POS	10.0 mL	100	Yes	\$72.00	Mycobacterium tuberculosis complex direct PCR positive extraction control. Ground bovine liver tissue in PBS spiked with M. tuberculosis H37Ra. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) enzyme-linked immunosorbent assay (ELISA) negative control serum	137-N	2.0 mL	Varies	Yes	\$86.00	Serum is used in the Johne's enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of test systems
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) complement fixation (CF) negative serum	133-N	2.0 mL	Varies	Yes	\$86.00	Serum is used in the Johne's disease complement fixation (CF) test to monitor the functioning of the test system
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) complement fixation (CF) positive serum	133-P	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Johne's disease complement fixation (CF) test to monitor the functioning of the test system
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) enzyme-linked immunosorbent assay (ELISA) high positive control serum	137-HP	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Johne's enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of test systems

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 27 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) enzyme-linked immunosorbent assay (ELISA) low positive 1 control serum	137-LP1	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Johne's enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of test systems
Mycobacterium control serum - Mycobacterium paratuberculosis (Johne's) enzyme-linked immunosorbent assay (ELISA) low positive 2 control serum	137-LP2	1.0 mL	Varies	Yes	\$146.00	Serum is used in the Johne's enzyme-linked immunosorbent assay (ELISA) test to monitor the functioning of test systems
Mycobacterium field isolate - multiple species available	MYC-S	Varies	N/A	Yes	\$242.00	Mycobacterium field isolates. Sent as live cultures on slants. Call (515) 337-7526 for availability.
Mycobacterium field isolate - multiple species available	MYC-F	1.0 mL	N/A	Yes	\$242.00	Mycobacterium field isolates. Sent as glycerol stock. Call (515) 337-7526 for availability
Mycobacterium reference culture - multiple species available	MYC-R	1.0 mL		Yes	\$645.00	Mycobacterium isolates for use as reference strains. Certificate of Analysis is provided with each order. Supplied as a glycerol stock Call (515) 337-7526 for availability
Mycobacterium species cells, non-viable	MYC-NV	Varies	N/A	Yes	\$143.00	Mycobacterium species cells, non-viable. Various species available. Call (515) 337-7526 for availability
Mycobacterium species DNA	MYC-DNA	Varies	N/A	Yes	\$178.75	Mycobacterium species DNA. Various species available. Call (515) 337-7526 for availability
Mycoplasma - chicken serum, negative for Mycoplasma antibodies	119	2.0 mL	Varies	Yes	\$86.00	Used as a negative control in plate or hemagglutination-inhibition test
Mycoplasma - turkey serum, negative for mycoplasma antibodies	109	2.0 mL	Varies	Yes	\$86.00	Used as a negative control in plate or hemagglutination-inhibition tests
Mycoplasma gallisepticum hemagglutination antigen	100	5.0 mL	Varies	Yes	\$430.00	Used to detect antibodies in poultry serum by hemagglutination-inhibition (HI) test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 28 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycoplasma gallisepticum positive control serum, chicken origin, for use in plate test	104-P	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in the plate test; plate test antigen is available commercially
Mycoplasma gallisepticum positive control serum, chicken origin, range in titer of 1:160 - 1:320	104-M	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma gallisepticum positive control serum, chicken origin, range in titer of 1:40 - 1:80	104-L	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma gallisepticum positive control serum, chicken origin, range in titer of 1:640 - 1:1280	104-H	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma gallisepticum positive control serum, turkey origin, for use in plate test	103-P	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in the plate test; plate test antigen is available commercially
Mycoplasma gallisepticum positive control serum, turkey origin, range in titer of 1:160 - 1:320	103-M	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma gallisepticum positive control serum, turkey origin, range in titer of 1:40 - 1:80	103-L	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma gallisepticum positive control serum, turkey origin, range in titer of 1:640 - 1:1280	103-H	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma meleagridis hemagglutination antigen	110	5.0 mL	Varies	Yes	\$430.00	Used to detect antibodies in poultry serum by hemagglutination-inhibition (HI) test
Mycoplasma meleagridis positive control serum, turkey origin, for use in plate test	113-P	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in the plate test; plate test antigen is available commercially

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 29 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycoplasma meleagridis positive control serum, turkey origin, range in titer of 1:160 - 1:320	113-M	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma meleagridis positive control serum, turkey origin, range in titer of 1:40 - 1:80	113-L	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma meleagridis positive control serum, turkey origin, range in titer of 1:640 - 1:1280	113-H	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma synoviae fluorescent antibody conjugate, multivalent, chicken origin	MSC-FAC	0.5 mL	Varies	Yes	\$54.00	Chicken origin multivalent fluorescent antibody conjugate (FITC bound)
Mycoplasma synoviae fluorescent antibody conjugate, multivalent, rabbit origin	MSR-FAC	0.5 mL	Varies	Yes	\$54.00	Rabbit origin multivalent fluorescent antibody conjugate (FITC bound)
Mycoplasma synoviae hemagglutination antigen	120	5.0 mL	Varies	Yes	\$430.00	Used to detect antibodies in poultry serum by hemagglutination-inhibition (HI) test
Mycoplasma synoviae positive control serum, chicken origin, for use in plate test	124-P	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in the plate test; plate test antigen is available commercially
Mycoplasma synoviae positive control serum, chicken origin, range in titer of 1:160 - 1:320	124-M	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma synoviae positive control serum, chicken origin, range in titer of 1:40 - 1:80	124-L	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma synoviae positive control serum, chicken origin, range in titer of 1:640 - 1:1280	124-H	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 30 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Mycoplasma synoviae positive control serum, turkey origin, range in titer of 1:160 - 1:320	125-M	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma synoviae positive control serum, turkey origin, range in titer of 1:40 - 1:80	125-L	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Mycoplasma synoviae positive control serum, turkey origin, range in titer of 1:640 - 1:1280	125-H	2.0 mL	Varies	Yes	\$430.00	Used as a positive control serum in hemagglutination-inhibition (HI) test
Newcastle disease (ND) antigen	136-ADV	2.0 mL	Varies	Yes	\$140.00	For use in the hemagglutination and hemagglutination-inhibition (HI) tests. Beta-propiolactone inactivated (LaSota strain)
Newcastle disease (ND) antiserum	433-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against LaSota strain
Newcastle disease (ND) transcribed RNA	200-ADV	0.05 mL	Varies	*	\$108.00	Positive control for NDV RRT-PCR. Transcribed RNA was prepared with PAMP1 plasmid containing the matrix and fusion gene of PMV/CA/Chicken/211472/02. Must be an APHIS-approved laboratory or in the process of becoming approved. Contact NVSL.DVL.Comm@usda.gov for questions.
Newcastle disease virus proficiency panel for PCR	ND-PCR	1.0 mL	N/A	Yes	\$774.00	Panel of inactivated antigen used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov. Previously known as ND-RRT effective 8/20/25.
Normal specific pathogen free chicken serum	907-ADV	5.0 mL	Varies	Yes	\$215.00	Used as a negative control serum for avian serology
Normal turkey serum	906-ADV	0.6 mL	Varies	Yes	\$25.80	Used as a negative control serum for avian serology

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 31 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Parainfluenza-3 virus fluorescent antibody conjugate	770-BDV	1.0 mL	Varies	Yes	\$167.00	Bovine source
Pasteurella multocida type 1 antiserum	20-T1	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 1, reference culture X-73	21-T1	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 10 antiserum	20-T10	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 10, reference culture P-2100	21-T10	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 11 antiserum	20-T11	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 11, reference culture P-903	21-T11	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 12 antiserum	20-T12	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 12, reference culture P-1573	21-T12	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 13 antiserum	20-T13	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 13, reference culture P-1591	21-T13	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 14 antiserum	20-T14	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 14, reference culture P-2225	21-T14	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test

Print Date: 6/11/2026

* No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only

Page 32 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Pasteurella multocida type 15 antiserum	20-T15	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 15, reference culture P-2237	21-T15	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 16 antiserum	20-T16	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 16, reference culture P-2723	21-T16	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 2 antiserum	20-T2	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 2, reference culture M-1404	21-T2	10.0 mL	Varies	Yes	\$242.00	USDA permit required. Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 3 antiserum	20-T3	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 3, reference culture P-1059	21-T3	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 4 antiserum	20-T4	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 4, reference culture P-1662	21-T4	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 5 antiserum	20-T5	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 5, reference culture P-1702	21-T5	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 6 antiserum	20-T6	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 33 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Pasteurella multocida type 6, reference culture P-2192	21-T6	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 7 antiserum	20-T7	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 7, reference culture P-1997	21-T7	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 8 antiserum	20-T8	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 8, reference culture P-1581	21-T8	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
Pasteurella multocida type 9 antiserum	20-T9	1.0 mL	Varies	Yes	\$215.00	Reference control antiserum for use in the gel diffusion precipitin test
Pasteurella multocida type 9, reference culture P-2095	21-T9	10.0 mL	Varies	Yes	\$242.00	Used to prepare reference control antigen for the gel diffusion precipitin test
PCR control, direct, negative bovine tissue	MBD-NEG	10.0 mL	100	Yes	\$72.00	Ground bovine liver tissue in PBS used as a negative control in direct PCR applications. Validated for use in Mycobacterium tuberculosis complex direct PCR assays. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.
PCR control, direct, positive tissue with Mycobacterium bovis BCG	MBD-POS	10.0 mL	100	Yes	\$72.00	Mycobacterium bovis direct PCR positive extraction control. Ground bovine liver tissue in PBS spiked with M. bovis BCG. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.
PCR control, direct, positive tissue with Mycobacterium tuberculosis H37a	TBD-POS	10.0 mL	100	Yes	\$72.00	Mycobacterium tuberculosis complex direct PCR positive extraction control. Ground bovine liver tissue in PBS spiked with M. tuberculosis H37Ra. Packaged as 10 vials containing 1 mL each for a total of 100 tests if 100 µl is used per extraction.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 34 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Polysorbate-80 bovine albumin medium (P-80 BA)	LTM-5	5.0 mL	Varies	Yes	\$4.88	Semisolid medium used to propagate Leptospira for use in microscopic agglutination testing
Polysorbate-80 bovine albumin medium (P-80 BA)	LTM-10	10.0 mL	Varies	Yes	\$9.75	Medium used to propagate Leptospira for use in microscopic agglutination testing
Polysorbate-80 bovine albumin medium (P-80 BA)	LTM-100	100.0 mL	Varies	Yes	\$97.50	Medium used to propagate Leptospira for use in microscopic agglutination testing
Porcine adenovirus fluorescent antibody conjugate	630-PDV	1.0 mL	Varies	Yes	\$167.00	Porcine source
Porcine deltacoronavirus	026-PDV	0.6 mL		Yes	\$645.00	
Porcine epidemic diarrhea virus, CO isolate	025-PDV	0.6 mL		Yes	\$645.00	Porcine epidemic diarrhea virus, CO isolate
Porcine hemagglutinating encephalomyelitis virus (PHEV)	001-PDV	0.6 mL	1	Yes	\$70.00	Mengling strain, challenge virus for the PHEV hemagglutination-inhibition (HI) test
Porcine parvovirus (PPV)	080-PDV	0.6 mL	Varies	Yes	\$70.00	NADL-1 (Mengeling) strain, challenge virus for the PPV hemagglutination-inhibition (HI) test
Porcine reproductive and respiratory syndrome (PRRS) infected MARC-145 cells European N strain	150-MDV	2 slides/set	N/A	Yes	\$36.00	Eight (8) chambered slides for indirect immunofluorescent assay testing (acetone-fixed). No longer produced, will be available until current stocks are depleted.
Porcine reproductive and respiratory syndrome (PRRS) infected MARC-145 cells North American strain	130-MDV	2 slides/set	N/A	Yes	\$36.00	Eight (8) chambered slides for indirect immunofluorescent assay testing (acetone-fixed). No longer produced, will be available until current stocks are depleted.
Pseudocowpox virus	100-BDV	0.6 mL	1	Yes	\$70.00	Field isolate--NVSL accession number 73-9543
Pseudocowpox virus antiserum	401-BDV	2.0 mL	Varies	Yes	\$280.00	Porcine source
Pseudocowpox virus fluorescent antibody conjugate	700-BDV	1.0 mL	Varies	Yes	\$167.00	Bovine source

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 35 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Pseudorabies (Aujeszky's) antibody proficiency panel (ELISA – gB and gI)	PRV-ELI	N/A	N/A	*	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Pseudorabies (Aujeszky's) antibody proficiency panel (virus neutralization)	PRV-VNT	N/A	N/A	*	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Pseudorabies virus (Aujeszky's)	070-PDV	0.6 mL	1	*	\$70.00	Shope strain, virus for use in the pseudorabies virus neutralization (VN) test. In U.S., must be an APHIS approved laboratory. Contact DVL at NVSL.DVL.TeamLeads@usda.gov
Pseudorabies virus antiserum (Aujeszky's)	370-PDV	2.0 mL	Varies	*	\$242.00	Porcine source
Pseudorabies virus fluorescent antibody (FA) conjugate (Aujeszky's)	670-PDV	1.0 mL	Varies	*	\$167.00	Porcine source
Pseudorabies virus neutralization (VN) positive control serum	375-PDV	2.0 mL	12	Yes	\$57.00	Positive control serum (diluted) for use in the pseudorabies virus neutralization (VN) test. In U.S., must be an APHIS approved laboratory. Contact DVL at NVSL.DVL.TeamLeads@usda.gov.
Psittacine herpesvirus (PHV)	037-ADV	0.6 mL	1	Yes	\$70.00	Cell culture virus (NVSL strain 77-4441) propagated in chicken embryo kidney cells
Psittacine herpesvirus (PHV) antiserum	337-ADV	2.0 mL	Varies	Yes	\$135.00	Antiserum prepared in chickens against NVSL strain 77-4441
Psittacine herpesvirus (PHV) fluorescent antibody (FA) conjugate	637-ADV	1.0 mL	Varies	Yes	\$167.00	Use to detect PHV viral antigen in infected cell cultures or tissues by FA techniques (NVSL 77-4441 strain)
Rabbit origin anti-bovine fluorescent antibody (FA) conjugate	81-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with bovine serum

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 36 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Rabbit origin anti-bovine horseradish peroxidase-labeled conjugate	81-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with bovine serum
Rabbit origin anti-equine fluorescent antibody (FA) conjugate	71-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with equine serum
Rabbit origin anti-equine horseradish peroxidase-labeled conjugate	71-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with equine serum
Rabbit origin anti-goat fluorescent antibody (FA) conjugate	176-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with goat serum
Rabbit origin anti-goat horseradish peroxidase-labeled conjugate	176-R2	1.0 mL	Varies	Yes	\$167.00	Use in enzyme immunoassays with goat serum
Rabbit origin anti-guinea pig fluorescent antibody (FA) conjugate	196-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with guinea pig serum
Rabbit origin anti-mouse fluorescent antibody (FA) conjugate	211-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with mouse serum
Rabbit origin anti-sheep fluorescent antibody (FA) conjugate	181-FA	1.0 mL	Varies	Yes	\$167.00	Use in indirect FA tests with sheep serum
Salmonella D National Poultry Improvement Plan proficiency test	CHK-GRD	N/A	N/A	Yes	\$774.00	National Poultry Improvement Plan Salmonella Group D Contact laboratory for information--(515) 337-7526
Salmonella pullorum high titer control antiserum	28-H	2.0 mL	40	Yes	\$430.00	Used as positive control serum with NVSL products 28 and 28-P
Salmonella pullorum low titer control antiserum	28-L	2.0 mL	40	Yes	\$430.00	Used as positive control serum with NVSL product 28
Salmonella pullorum negative control antiserum	28-N	2.0 mL	40	Yes	\$86.00	Used as negative control serum with NVSL products 28 and 28-P
Salmonella pullorum stained microtiter antigen	28	25.0 mL	500	Yes	\$651.00	Stained antigen used to detect antibody to the somatic antigens of Salmonella pullorum

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 37 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Salmonella pullorum tube test antigen	28-P	5.0 mL	40	Yes	\$140.00	Used for detection of antibody against Salmonella pullorum somatic antigens
Salmonella pullorum tube test antigen	28-P25	25.0 mL	200	Yes	\$700.00	Used for detection of antibody against Salmonella pullorum somatic antigens
Salmonella reference isolate	SAL-REF			Yes	\$645.00	1 Salmonella Reference Isolate. Please contact laboratory at nvsl.bacteriology.case.manager@usda.gov to confirm availability prior to order.
Salmonella serotyping Proficiency Panel	CHK-SAL	1.0 mL	N/A	Yes	\$774.00	Salmonella Serotyping Proficiency Panel, contact laboratory for availability, 10 isolates
Scrapie Caprine PrP genotyping proficiency panel - FTA Cards	PRC-FTA			Yes	\$774.00	Panel of FTA cards with Caprine whole blood. Conducted yearly, contact laboratory at (515) 337-7526 or 7837
Scrapie Caprine PrP genotyping proficiency panel - Tissue	PRC-TIS			Yes	\$774.00	Panel of 3mm Caprine ear punches in vials. Conducted yearly, contact laboratory at (515) 337-7526 or 7837
Scrapie Caprine PrP genotyping proficiency panel - Whole Blood	PRC-WB			Yes	\$774.00	Panel 1mL vials of whole blood. Conducted yearly, contact laboratory at (515) 337-7526 or 7837
Scrapie genotyping control DNA	SCR-DNA	25 uL		Yes	\$108.00	Scrapie genotyping control DNA
Scrapie immunohistochemistry control block	CWS-CB			*	N/A	Positive chronic wasting disease and/or scrapie brain and lymph tissue and Not Detected brain in a paraffin block, used for IHC scrapie and CWD controls, includes a stained slide; appropriate permit(s) required.
Scrapie Ovine PrP genotyping proficiency panel - Whole Blood	PRP-WB			Yes	\$774.00	20 - 1mL vials of whole blood. Conducted yearly, contact laboratory at (515) 337-7526 or 7837
Scrapie Ovine PrP genotyping proficiency panel for fresh tissue	PRP-TIS			Yes	\$774.00	10 vials each with a 3mm Ovine ear punch. conducted yearly, contact laboratory at (515) 337-7526 or 7837

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 38 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Scrapie Ovine PrP genotyping proficiency panel for FTA cards	PRP-FTA			Yes	\$774.00	20 FTA cards with Ovine whole blood. Conducted yearly, contact laboratory at (515) 337-7526 or 7837
Swine influenza virus (SIV)	SIV-REP	0.6 mL	N/A	Yes	\$645.00	SIV repository isolates
Swine influenza virus (SIV) fluorescent antibody conjugate H1N1	601-IDV	1.0 mL	Varies	Yes	\$167.00	Porcine source
Theileria equi positive control serum (high titer)	75-H	1.0 mL	40	Yes	\$334.00	High titer positive control serum used in serologic tests to detect antibodies to theileria equi
Theileria equi positive control serum (low titer)	75-L	1.0 mL	40	Yes	\$334.00	Low titer positive control serum used in serologic tests to detect antibodies to theileria equi
Transmissible gastroenteritis (TGE) virus neutralization (VN) positive control serum	325-PDV	2.0 mL	12	Yes	\$57.00	Positive control serum for Transmissible gastroenteritis (TGE) virus neutralization (VN) test (diluted)
Trichomoniasis foetus PCR (real time) Proficiency Test	TRI-CHK	700 uL	20	Yes	\$774.00	Trichomoniasis foetus PCR (real time) Proficiency Test. Panel consists of 20 samples
Tuberculosis DPP cervid serum shipping kit	DPP-KIT	N/A	80	Yes	\$43.00	Shipping materials only for Cervid TB DPP testing. Blood tubes or sample collection supplies not included.
Vesicular stomatitis (VS) complement fixation (CF) antigen Indiana	069-VDV	1.0 mL	6	Yes	\$70.00	Challenge virus for the vesicular stomatitis (VS) Indiana complement fixation (CF) test
Vesicular stomatitis (VS) complement fixation (CF) antigen New Jersey	075-VDV	1.0 mL	6	Yes	\$70.00	Challenge virus for the vesicular stomatitis (VS) New Jersey complement fixation (CF) test
Vesicular stomatitis (VS) complement fixation (CF) Indiana positive control serum (equine)	369-VDV	2.0 mL	12	Yes	\$57.00	Positive control serum for vesicular stomatitis (VS) Indiana complement fixation (CF) test (diluted)

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 39 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Vesicular stomatitis (VS) complement fixation (CF) negative control serum	490-BDV	2.0 mL	12	Yes	\$86.00	Negative control serum for VS CF tests, equine origin
Vesicular stomatitis (VS) complement fixation (CF) New Jersey positive control serum (equine)	375-VDV	2.0 mL	12	Yes	\$57.00	Positive control serum for vesicular stomatitis (VS) New Jersey complement fixation (CF) test (diluted)
Vesicular stomatitis (VS) normal mouse brain complement fixation (CF) antigen	074-VDV	1.0 mL	6	Yes	\$70.00	Normal antigen for vesicular stomatitis (VS) complement fixation (CF) test
Vesicular stomatitis (VS) PCR positive amplification control RNA	305-VDV	50.0 uL	2000	Yes	\$108.00	Extracted RNA from vesicular stomatitis (VS) virus New Jersey (073-VDV-1501) and vesicular stomatitis (VS) virus Indiana-1 (070-VDV-1501). Available to VSV NAHLN approved labs. Requests from other entities considered on a case-by-case basis.
Vesicular stomatitis (VS) virus neutralization (VN) Indiana positive control serum	470-VDV	2.0 mL	12	Yes	\$57.00	Positive control serum for VS Indiana virus neutralization (VN) test (diluted)
Vesicular stomatitis (VS) virus neutralization (VN) negative control serum	480-BDV	2.0 mL	12	Yes	\$86.00	Negative control serum for vesicular stomatitis (VS) virus neutralization (VN) tests (diluted), bovine origin
Vesicular stomatitis (VS) virus neutralization (VN) New Jersey positive control serum	473-VDV	2.0 mL	12	Yes	\$57.00	Positive 073-control serum for vesicular stomatitis (VS) New Jersey virus neutralization (VN) test (diluted)
Vesicular stomatitis (VS) virus, Indiana (IN)	070-VDV	0.6 mL	1	Yes	\$70.00	Chimayo strain, challenge virus for the VS (IN) virus neutralization (VN) test
Vesicular stomatitis (VS) virus, New Jersey (NJ)	073-VDV	0.6 mL	1	Yes	\$70.00	Atlanta strain, challenge virus for the VS (NJ) virus neutralization (VN) test

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program
Please note: The NVSL distributes reagents for veterinary use only**

Page 40 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.

Reagent Name	Reagent Code	Amount / Vial	Tests/ Vial	Billable	FY 2026 User Fee	Reagent Description
Vesicular stomatitis proficiency panel for complement fixation	VS-CF	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Vesicular stomatitis proficiency panel for PCR	VS-PCR	0.7 mL	3	Yes	\$774.00	Panel consists of live virus; UN3373 shipment and permit required; only distributed to APHIS-approved laboratories. Direct other requests to NVSL.DVL.Teamleads@usda.gov.
Vesicular stomatitis proficiency panel for virus neutralization	VS-VN	N/A	N/A	Yes	\$774.00	Panel of sera used to monitor proficiency of laboratory personnel. Direct questions to NVSL.DVL.Teamleads@usda.gov.

Print Date: 6/11/2026

*** No charge if used as part of a USDA control program**
Please note: The NVSL distributes reagents for veterinary use only

Page 41 of 41

Items requested from the National Veterinary Services Laboratories catalog may not be available or may be limited in quantity at any time due to domestic testing or manufacturing priorities.